

**Applies to:****Commercial Products**

- ☒ Harvard Pilgrim Health Care Commercial products
- ☐ Tufts Health Plan Commercial products

**Public Plans Products**

- ☐ Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product)
- ☐ Tufts Health Together – MassHealth Accountable Care Partnership Plans
- ☐ Tufts Health RITogether – A Rhode Island Medicaid Plan
- ☐ Tufts Health One Care – A dual-eligible product

**Senior Products**

- ☐ Tufts Health Plan Senior Care Options (SCO) (a dual-eligible product)
- ☐ Tufts Medicare Preferred HMO/PPO (Medicare Advantage products)

---

**Policy**

Colorectal cancer (CRC) is the term used to describe the development of cancer in the colon or the rectum. Colon cancer and rectal cancer are often grouped together because the two diseases share similar characteristics and features.

Screening is key in detecting colorectal cancer early and has a major impact on colorectal cancer incidence and mortality rates. Screening for colorectal cancer occurs through a preventive visit with a healthcare provider who provides an individual risk assessment.

---

**Indications and/or Limitations of Coverage**

Application of coverage criteria is dependent upon an individual's benefit coverage at the time of the request.

1. For asymptomatic individuals 45 to 75 years of age, annual screening for colorectal cancer with a fecal immunochemical test (FIT) (preferred) or a guaiac fecal occult blood test (gFOBT) **MEETS COVERAGE CRITERIA**.
2. The use of FIT-DNA (Cologuard™, Cologuard Plus™) for colorectal cancer screening **MEETS COVERAGE CRITERIA** in individuals 45-75 years of age once every three years.
3. For average risk, asymptomatic individuals over 75 years of age, colorectal cancer screening **DOES NOT MEET COVERAGE CRITERIA**.
- ~~3-4. The use of methylated Septin 9 (ColoVantage) for colorectal cancer screening **DOES NOT MEET COVERAGE CRITERIA**.~~

The following does not meet coverage criteria due to a lack of available published scientific literature confirming that the test(s) is/are required and beneficial for the diagnosis and treatment of a patient's illness.

- ~~4-5.~~ Colorectal cancer screening using any of the following techniques **DOES NOT MEET COVERAGE CRITERIA**:
  - a. Screening for anal cytological abnormalities (anal pap smear).
  - b. Screening for anal HPV infection.
  - c. Screening using cell-free DNA techniques (e.g., Guardant Shield™).

## Applicable CPT/HCPCS Procedure Codes

Procedure codes appearing in policy documents are included only as a general reference tool for each policy. They may not be all-inclusive.

### Coding

| Code         | Description                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 81327        | SEPT9 (Septin9) (e.g., colorectal cancer) promoter methylation analysis                                                                                                                                                                                                                                                                                                                             |
| 81528        | Oncology (colorectal) screening, quantitative real-time target, and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result                                                                                                                                      |
| 82270        | Blood, occult, by peroxidase activity (e.g., guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (i.e., patient was provided 3 cards or single triple card for consecutive collection)                                                                                                                                        |
| 82274        | Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations                                                                                                                                                                                                                                                                                |
| 87624        | Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) pooled result                                                                                                                                                                                                                       |
| 87625        | Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed                                                                                                                                                                                                                                                           |
| 87626        | Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (e.g., 16, 18, 31, 45, 51, 52), <del>separate or</del> <u>and high-risk</u> pooled result (Effective for DOS beginning 9/1/2026)                                                                                                                                                               |
| 88112        | Cytopathology, selective cellular enhancement technique with interpretation (e.g., liquid-based slide preparation method), except cervical or vaginal                                                                                                                                                                                                                                               |
| <u>0421U</u> | <u>Oncology (colorectal) screening, quantitative real-time target and signal amplification of 8 RNA markers (GAPDH, SMAD4, ACY1, AREG, CDH1, KRAS, TNFRSF10B, EGLN2) and fecal hemoglobin, algorithm reported as a positive or negative for colorectal cancer risk. (Effective for DOS beginning 12/1/2026)</u><br><u>Proprietary Test: Colosense™</u><br><u>Lab/Manufacturer: Geneoscopy, Inc.</u> |
| 0464U        | Oncology (colorectal) screening, quantitative real-time target and signal amplification, methylated DNA markers, including LASS4, LRRC4 and PPP2R5C, a reference marker ZDHHC1, and a protein marker (fecal hemoglobin), utilizing stool, algorithm reported as a positive or negative result<br>Proprietary Test: Cologuard Plus™<br>Lab/Manufacturer: Exact Sciences Laboratories, LLC            |
| 0537U        | Oncology (colorectal cancer), analysis of cell-free DNA for epigenomic patterns, next-generation sequencing, >2500 differentially methylated regions (DMRs), plasma, algorithm reported as positive or negative<br>Proprietary Test: Shield™<br>Lab/Manufacturer: Guardant Health, Inc.                                                                                                             |

## Evidence-based Scientific References

1. Kuipers EJ, Grady WM, Lieberman D, et al. Colorectal cancer. Nat Rev Dis Primers. Nov 5 2015;1:15065. doi:10.1038/nrdp.2015.65
2. Shaikat A, Kahi CJ, Burke CA, Rabeneck L, Sauer BG, Rex DK. ACG Clinical Guidelines: Colorectal Cancer Screening 2021. Official journal of the American College of Gastroenterology | ACG. 2021;116(3):458-479. doi:10.14309/ajg.0000000000001122
3. ACS. Key Statistics for Colorectal Cancer. <https://www.cancer.org/cancer/types/colon-rectal-cancer/about/key-statistics.html>
4. Doubeni C. Tests for screening for colorectal cancer. Updated May 29, 2026. <https://www.uptodate.com/contents/tests-for-screening-for-colorectal-cancer>
5. Robertson DJ, Lee JK, Boland CR, et al. Recommendations on Fecal Immunochemical Testing to Screen for Colorectal Neoplasia: A Consensus Statement by the US Multi-Society Task Force on Colorectal Cancer. Gastroenterology. Apr 2017;152(5):1217-1237.e3. doi:10.1053/j.gastro.2016.08.053
6. Exact Sciences. Cologuard. <https://www.cologuardhcp.com/about/clinical-offer>
7. R G. Sensitive detection of colorectal cancer in peripheral blood by septin 9 DNA methylation assay. 2008;doi:10.1371/journal.pone.0003759

8. Imperiale TF, Ransohoff DF, Itzkowitz SH, et al. Multitarget stool DNA testing for colorectal-cancer screening. *N Engl J Med*. Apr 3 2014;370(14):1287-97. doi:10.1056/NEJMoa1311194
9. Grützmann R, Molnar B, Pilarsky C, et al. Sensitive Detection of Colorectal Cancer in Peripheral Blood by Septin 9 DNA Methylation Assay. *PLOS ONE*. 2008;3(11):e3759. doi:10.1371/journal.pone.0003759
10. Health G. Shield™: Colorectal Cancer Screening Test. <https://shieldcancerscreen.com/wp-content/uploads/LBL-000351-R1-Shield-Provider-Labeling.pdf>
11. Guardant Health. Shield™ blood-based colorectal cancer screening test. Guardant Health, Inc. [https://guardanthealth.com/wp-content/uploads/Guardant\\_Shield\\_FactSheet-1.pdf](https://guardanthealth.com/wp-content/uploads/Guardant_Shield_FactSheet-1.pdf)
12. Exact Sciences. BLUE-C: A PIVOTAL CLINICAL TRIAL. <https://www.exactsciences.com/-/media/project/exactcore/documents/blue-c-background.pdf>
13. Exact Sciences. FDA Approves Exact Sciences' Cologuard Plus™ Test, Setting A New Benchmark in Non-Invasive Colorectal Cancer Screening. <https://www.exactsciences.com/newsroom/press-releases/fda-approves-exact-sciences-cologuard-plus-test>
14. Imperiale TF, Porter K, Zella J, et al. Next-Generation Multitarget Stool DNA Test for Colorectal Cancer Screening. *N Engl J Med*. Mar 14 2024;390(11):984-993. doi:10.1056/NEJMoa2310336
15. Tanya K. Stool DNA methylation assays in colorectal cancer screening. *World J Gastroenterol*. 2015;doi:10.3748/wjg.v21.i35.10057
16. Hayama T, Hama K, Ozawa T, et al. Ceramide synthase CERS4 gene downregulation is associated with KRAS mutation in colorectal cancer. *Sci Rep*. Sep 27 2023;13(1):16249. doi:10.1038/s41598-023-43557-1
17. Müller D, Györfy B. EpigenPlot: An interactive web platform for DNA methylation-based biomarker and drug target discovery in colorectal cancer. *British Journal of Pharmacology*. 2025;182(7):1452-1465. doi:10.1111/bph.17455
18. Imperiale TF, Ransohoff DF, Itzkowitz SH, et al. Multitarget Stool DNA Testing for Colorectal-Cancer Screening. *New England Journal of Medicine*. 2014;370(14):1287-1297. doi:doi:10.1056/NEJMoa1311194
19. Imperiale TF, Porter K, Zella J, et al. Next-Generation Multitarget Stool DNA Test for Colorectal Cancer Screening. *New England Journal of Medicine*. 2024;390(11):984-993. doi:doi:10.1056/NEJMoa2310336
20. ColoSense. What Makes ColoSense Different? <https://colosense.com/#different>
21. Barnell EK, Wurtzler EM, La Rocca J, et al. Multitarget Stool RNA Test for Colorectal Cancer Screening. *Jama*. Nov 14 2023;330(18):1760-1768. doi:10.1001/jama.2023.22231
22. Burch JA, Soares-Weiser K, St John DJB, et al. Diagnostic accuracy of faecal occult blood tests used in screening for colorectal cancer: a systematic review. *Journal of Medical Screening*. 2007/09/01 2007;14(3):132-137. doi:10.1258/096914107782066220
23. Shapiro JA, Bobo JK, Church TR, et al. A Comparison of Fecal Immunochemical and High-Sensitivity Guaiac Tests for Colorectal Cancer Screening. *Am J Gastroenterol*. Nov 2017;112(11):1728-1735. doi:10.1038/ajg.2017.285
24. Kisiel JB, Gagrath ZD, Krockenberger M, et al. Can second-generation multitarget stool DNA panels reliably detect colorectal cancer and advanced precancerous lesions? *Journal of Clinical Oncology*. 2022/02/01 2022;40(4\_suppl):63-63. doi:10.1200/JCO.2022.40.4\_suppl.063
25. Barnell EK, Land J, Kruse K, et al. Analytical Validation of the Multitarget Stool RNA Test for Colorectal Cancer Screening. *The Journal of Molecular Diagnostics*. 2024;26(8):700-707. doi:10.1016/j.jmoldx.2024.05.001
26. Barnell EK, Kruse K, Wurtzler EM, Scott MC, Barnell AR, Duncavage EJ. Analytical validation of a scrape-free multitarget stool RNA test for colorectal cancer screening. *Pract Lab Med*. Dec 2025;47:e00502. doi:10.1016/j.plabm.2025.e00502
27. USPSTF. USPSTF Final Recommendation Statement. Updated May 18, 2021. <https://www.uspreventiveservicestaskforce.org/uspstf/document/RecommendationStatementFinal/colorectal-cancer-screening>
28. Faivre J, Dancourt V, Lejeune C, et al. Reduction in colorectal cancer mortality by fecal occult blood screening in a French controlled study<sup>1</sup>. *Gastroenterology*. 2004;126(7):1674-1680. doi:10.1053/j.gastro.2004.02.018
29. Kim SY, Kim HS, Kim YT, et al. Colonoscopy Versus Fecal Immunochemical Test for Reducing Colorectal Cancer Risk: A Population-Based Case-Control Study. *Clin Transl Gastroenterol*. Apr 30 2021;12(5):e00350. doi:10.14309/ctg.0000000000000350
30. Gagrath ZD, Krockenberger M, Bhattacharya A, et al. Next-generation Multi-target Stool DNA Panel Accurately Detects Colorectal Cancer and Advanced Precancerous Lesions. *Cancer Prev Res (Phila)*. Mar 4 2024;17(3):119-126. doi:10.1158/1940-6207.CAPR-23-0285
31. USPSTF. Colorectal Cancer: Screening. Updated May 18, 2021. <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation/colorectal-cancer-screening>
32. USPSTF. About the USPSTF. <https://www.uspreventiveservicestaskforce.org/uspstf/about-uspstf>
33. ACS. American Cancer Society Guideline for Colorectal Cancer Screening. Updated January 29, 2024. 2025. <https://www.cancer.org/cancer/types/colon-rectal-cancer/detection-diagnosis-staging/acs-recommendations.html>
34. Patel SG, May FP, Anderson JC, et al. Updates on Age to Start and Stop Colorectal Cancer Screening: Recommendations From the U.S. Multi-Society Task Force on Colorectal Cancer. *Gastroenterology*. Jan 2022;162(1):285-299. doi:10.1053/j.gastro.2021.10.007
35. NCCN. Colorectal Cancer Screening Version 2. 2025. Updated June 24, 2025. [https://www.nccn.org/professionals/physician\\_gls/pdf/colorectal\\_screenin](https://www.nccn.org/professionals/physician_gls/pdf/colorectal_screenin)

36. FDA. Epi ProColon. [https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma\\_template.cfm?id=p130001](https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma_template.cfm?id=p130001)
37. FDA. SUMMARY OF SAFETY AND EFFECTIVENESS DATA (SSED). Food & Drug Administration. [https://www.accessdata.fda.gov/cdrh\\_docs/pdf13/P130017B.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf13/P130017B.pdf)
38. FDA. SUMMARY OF SAFETY AND EFFECTIVENESS DATA. [https://www.accessdata.fda.gov/cdrh\\_docs/pdf23/P230043B.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf23/P230043B.pdf)

---

## Publication History

- 12/01/2026: Administrative edits; added code 0421U, effective for DOS beginning Dec. 1, 2026
- 07/01/2026: Annual policy review; administrative edits; added CPT code 87626, effective for DOS beginning Sept. 1, 2026; removed deleted code 0500T
- 09/01/2025: Policy created to support coverage guidelines, effective for dates of service beginning Nov. 1, 2025

---

## Background and Disclaimer Information

This policy applies to the products of Harvard Pilgrim Health Care and Tufts Health Plan and their affiliates, as identified in the check boxes on the first page for services performed by contracted providers.

Payment is based on member benefits and eligibility on the date of service, medical necessity review, where applicable, and the provider's network participation agreement with the Plan. As every claim is unique, this policy is neither a guarantee of payment, nor a final indication of how specific claim(s) will be adjudicated. Claims payment is subject to member eligibility and benefits on the date of service, coordination of benefits, referral/authorization, and utilization management requirements (when applicable), adherence to Plan policies and procedures, and claims editing logic. An authorization is not a guarantee of payment.

Point32Health reserves the right to amend a payment policy at its discretion. CPT and HCPCS codes are updated as applicable; please adhere to the most recent CPT and HCPCS coding guidelines.

We reserve the right to conduct audits on any provider and/or facility to ensure accuracy and compliance with the guidelines stated in this payment policy. If such an audit determines that a provider/facility did not comply with this payment policy, Harvard Pilgrim Health Care and Tufts Health Plan will expect the provider/facility to refund all payments related to noncompliance.