

Effective date: June 1, 2026

Applies to:

Commercial Products

- Harvard Pilgrim Health Care Commercial products
- Tufts Health Plan Commercial products

Public Plans Products

- Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product)
- Tufts Health Together – MassHealth MCO Plan and Accountable Care Partnership Plans
- Tufts Health RITogether – A Rhode Island Medicaid Plan
- Tufts Health One Care – A dual-eligible product

Senior Products

- Tufts Health Plan Senior Care Options (SCO) (a dual-eligible product)
- Tufts Medicare Preferred HMO/PPO (Medicare Advantage products)

Policy

Aneuploidy is defined as an abnormal number of chromosomes present in the cell. Fetal aneuploidy is a condition where the fetus has one or more extra or missing chromosomes leading to either a nonviable pregnancy, offspring that may not survive after birth, or surviving newborn with congenital birth defects and functional abnormalities. The most common fetal aneuploidies associated with an additional chromosome are Down syndrome (trisomy 21), Edwards syndrome (trisomy 18), and Patau syndrome (trisomy 13). Prenatal screening for fetal aneuploidy is an assessment of the pregnant individual's risk of carrying a fetus with fetal aneuploidy using markers found in maternal serum.¹ Noninvasive-invasive prenatal screening is a method for screening for chromosomal abnormalities using a maternal blood sample where cell-free fetal DNA (cffDNA) is extracted and screened for aneuploidies.

Indications and/or Limitations of Coverage

Application of coverage criteria is dependent upon an individual's benefit coverage at the time of the request.

1. For pregnant individuals who desire information on the risk of having a child with fetal aneuploidy, the following screening tests to detect fetal aneuploidy of chromosomes 13, 18, and 21 **MEET COVERAGE CRITERIA**:
 - a. First-trimester (defined as 11-14 weeks) screening incorporating maternal serum markers (hCG, PAPP-A with nuchal translucency (NT)).
 - b. Second-trimester (15-22 weeks) screening incorporating triple maternal serum markers (hCG, AFP, uE3 with NT) and quad maternal serum markers (hCG, AFP, uE3, DIA with NT).
 - c. First (11-14 weeks) and second (15-22 weeks) trimester integrated screening incorporating maternal serum markers (PAPP-A with NT) and quad maternal serum markers (hCG, AFP, uE3, DIA with NT).
 - d. First (11-14 weeks) and second (15-22 weeks) trimester sequential screening incorporating maternal serum markers (PAPP-A, hCG with NT) and quad maternal serum markers (hCG, AFP, uE3, DIA with NT).
 - e. First (11-14 weeks) and second (15-22 weeks) trimester contingent screening incorporating maternal serum markers (PAPP-A, hCG with NT); if positive, quad maternal serum markers (hCG, AFP, uE3, DIA with NT).
2. For pregnant individuals who desire information on the risk of having a child with fetal aneuploidy, non-invasive prenatal screening (NIPS) to detect fetal aneuploidy of chromosomes 13, 18, 21, X, and Y (singleton or twin pregnancies of at least 10 weeks gestation) **MEETS COVERAGE CRITERIA**.
3. For pregnant individuals who desire information on the risk of having a child with fetal aneuploidy or to pursue additional confirmatory testing of equivocal or positive results from the above testing, karyotyping to confirm fetal aneuploidy **MEETS COVERAGE CRITERIA**.
4. To detect fetal aneuploidy, the use of the "penta" screen (hCG, AFP, uE3, DIA with NT, and hyperglycosylated hCG) **DOES NOT MEET COVERAGE CRITERIA**.

5. Screening for the detection of fetal aneuploidies **DOES NOT MEET COVERAGE CRITERIA** in any of the following situations:
 - a. Parallel or simultaneous testing with multiple screening methodologies for fetal aneuploidy.
 - b. For the screening of pregnant individuals with higher order multiple gestation pregnancies.
 - c. Repeat screening for pregnant individuals with negative screening results.
 - d. For the detection of other chromosomal abnormalities (e.g., microdeletion syndromes, unbalanced translocations, deletions, duplications) not addressed above.
 - e. For the determination of fetal sex.

The following does not meet coverage criteria due to a lack of available published scientific literature confirming that the test(s) is/are required and beneficial for the diagnosis and treatment of an individual's illness.

6. For the diagnosis of fetal aneuploidy, the use of single cell genotyping in trophoblasts isolated from maternal serum (e.g., Luna Prenatal Test) **DOES NOT MEET COVERAGE CRITERIA**.

NOTES:

Applicable CPT/HCPCS Procedure Codes

Procedure codes appearing in policy documents are included only as a general reference tool for each policy. They may not be all-inclusive.

Coding

Code	Description
81420	Fetal chromosomal aneuploidy (e.g., trisomy 21, monosomy X) genomic sequence analysis panel, circulating cell-free fetal DNA in maternal blood, must include analysis of chromosomes 13, 18, and 21
81422	Fetal chromosomal microdeletion(s) genomic sequence analysis (e.g., DiGeorge syndrome, Cri-du-chat syndrome), circulating cell-free fetal DNA in maternal blood NCIS
81479	Unlisted molecular pathology procedure UNLISTED
81507	Fetal aneuploidy (trisomy 21, 18, and 13) DNA sequence analysis of selected regions using maternal plasma, algorithm reported as a risk score for each trisomy Proprietary test: Harmony™ Prenatal Test Lab/Manufacturer: Ariosa Diagnostics
81508	Fetal congenital abnormalities, biochemical assays of two proteins (PAPP-A, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
81509	Fetal congenital abnormalities, biochemical assays of three proteins (PAPP-A, hCG [any form], DIA), utilizing maternal serum, algorithm reported as a risk score
81510	Fetal congenital abnormalities, biochemical assays of three analytes (AFP, uE3, hCG [any form]), utilizing maternal serum, algorithm reported as a risk score
81511	Fetal congenital abnormalities, biochemical assays of four analytes (AFP, uE3, hCG [any form], DIA) utilizing maternal serum, algorithm reported as a risk score (may include additional results from previous biochemical testing)
81512	Fetal congenital abnormalities, biochemical assays of five analytes (AFP, uE3, total hCG, hyperglycosylated hCG, DIA) utilizing maternal serum, algorithm reported as a risk score
81599	Unlisted multianalyte assay with algorithmic analysis UNLISTED
82105	Alpha-fetoprotein (AFP); serum
82106	Alpha-fetoprotein (AFP); amniotic fluid
82677	Estriol
84163	Pregnancy-associated plasma protein-A (PAPP-A)
84702	Gonadotropin, chorionic (hCG); quantitative
84703	Gonadotropin, chorionic (hCG); qualitative
84704	Gonadotropin, chorionic (hCG); free beta chain
86336	Inhibin A
88235	Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells

Code	Description
88267	Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding
88269	Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding
88271	Molecular cytogenetics; DNA probe, each (e.g., FISH)
88280	Chromosome analysis; additional karyotypes, each study
88285	Chromosome analysis; additional cells counted, each study
0327U	Fetal aneuploidy (trisomy 13, 18, and 21), DNA sequence analysis of selected regions using maternal plasma, algorithm reported as a risk score for each trisomy, includes sex reporting, if performed Proprietary test: Vasistera™ Lab/Manufacturer: Natera, Inc.
0341U	Fetal aneuploidy DNA sequencing comparative analysis, fetal DNA from products of conception, reported as normal (euploidy), monosomy, trisomy, or partial deletion/duplication, mosaicism, and segmental aneuploid Proprietary test: Single Cell Prenatal Diagnosis (SCPD) Test Lab/Manufacturer: Luna Genetics, Inc.

Evidence-based Scientific References

1. ACOG. Practice Bulletin No. 163: Screening for Fetal Aneuploidy. *Obstetrics and gynecology*. May 2016;127(5):e123-37. doi:10.1097/aog.0000000000001406
2. McKanna T, Ryan A, Krinshpun S, et al. Fetal fraction-based risk algorithm for non-invasive prenatal testing: screening for trisomy 13, 18, and triploidy in women with low cell-free fetal DNA. *Ultrasound in obstetrics & gynecology : the official journal of the International Society of Ultrasound in Obstetrics and Gynecology*. Jul 16 2018;doi:10.1002/uog.19176
3. Witters G, Van Robays J, Willekes C, et al. Trisomy 13, 18, 21, Triploidy and Turner syndrome: the 5T's. Look at the hands. *Facts, views & vision in ObGyn*. 2011;3(1):15-21.
4. Dey M, Sharma S, Aggarwal S. Prenatal screening methods for aneuploidies. *North American journal of medical sciences*. Mar 2013;5(3):182-90. doi:10.4103/1947-2714.109180
5. ACOG. ACOG Practice Bulletin Number 226: Screening for Fetal Chromosomal Abnormalities. *American College of Obstetricians and Gynecologists'Committee on Practice Bulletins*. 2020;doi:10.1097/AOG.0000000000004084
6. ISPD. Joint Position Statement from the International Society for Prenatal Diagnosis (ISPD), the Society for Maternal Fetal Medicine (SMFM), and the Perinatal Quality Foundation (PQF) on the use of genome-wide sequencing for fetal diagnosis. *Prenat Diagn*. Jan 2018;38(1):6-9. doi:10.1002/pd.5195
7. Palomaki GE, Halliday JV, Russo ML. Prenatal screening for common fetal aneuploidies: Cell-free DNA test. Updated September 15, 2025. <https://www.uptodate.com/contents/prenatal-screening-for-common-fetal-aneuploidies-cell-free-dna-test>
8. Aradhya S, Manning MA, Splendore A, Cherry AM. Whole-genome array-CGH identifies novel contiguous gene deletions and duplications associated with developmental delay, mental retardation, and dysmorphic features. *American Journal of Medical Genetics Part A*. 2007;143A(13):1431-1441. doi:10.1002/ajmg.a.31773
9. Robson SC, Chitty LS, Morris S, et al. Efficacy and Mechanism Evaluation. Evaluation of Array Comparative genomic Hybridisation in prenatal diagnosis of fetal anomalies: a multicentre cohort study with cost analysis and assessment of patient, health professional and commissioner preferences for array comparative genomic hybridisation. *NIHR Journals Library*. Copyright © Queen's Printer and Controller of HMSO 2017. ; 2017.
10. Reddy UM, Page GP, Saade GR, et al. Karyotype versus Microarray Testing for Genetic Abnormalities after Stillbirth. *New England Journal of Medicine*. 2012;367(23):2185-2193. doi:10.1056/NEJMoa1201569
11. Park SY, Jang IA, Lee MA, Kim YJ, Chun SH, Park MH. Screening for chromosomal abnormalities using combined test in the first trimester of pregnancy. *Obstetrics & gynecology science*. Sep 2016;59(5):357-66. doi:10.5468/ogs.2016.59.5.357
12. Shiefa S, Amargandhi M, Bhupendra J, Moulali S, Kristine T. First Trimester Maternal Serum Screening Using Biochemical Markers PAPP-A and Free β -hCG for Down Syndrome, Patau Syndrome and Edward Syndrome. *Indian journal of clinical biochemistry : IJCB*. Jan 2013;28(1):3-12. doi:10.1007/s12291-012-0269-9
13. Bornstein E, Gulersen M, Krantz D, Cheung SW, Maliszewski K, Divon MY. Microarray analysis: First-trimester maternal serum free beta-hCG and the risk of significant copy number variants. *Prenat Diagn*. Nov 2018;38(12):971-978. doi:10.1002/pd.5350
14. Lee, Chen LC, Cheong ML, Chou CY, Tsai MS. First trimester combined test for Down syndrome screening in unselected pregnancies - a report of a 13-year experience. *Taiwanese journal of obstetrics & gynecology*. Dec 2013;52(4):523-6. doi:10.1016/j.tjog.2013.10.012
15. Baer RJ, Flessel MC, Jelliffe-Pawlowski LL, et al. Detection Rates for Aneuploidy by First-Trimester and Sequential Screening. 2015;126(4):753-759. doi:10.1097/aog.0000000000001040

16. Wald NJ, Rodeck C, Hackshaw AK, Walters J, Chitty L, Mackinson AM. First and second trimester antenatal screening for Down's syndrome: the results of the Serum, Urine and Ultrasound Screening Study (SURUSS). *Journal of medical screening*. 2003;10(2):56-104. doi:10.1258/096914103321824133
17. Malone FD, Canick JA, Ball RH, et al. First-trimester or second-trimester screening, or both, for Down's syndrome. *The New England journal of medicine*. Nov 10 2005;353(19):2001-11. doi:10.1056/NEJMoa043693
18. Wald NJ, Huttly WJ, Murphy KW, Ali K, Bestwick JP, Rodeck CH. Antenatal screening for Down's syndrome using the Integrated test at two London hospitals. *Journal of medical screening*. 2009;16(1):7-10. doi:10.1258/jms.2009.008094
19. Palomaki GE, Neveux LM, Knight GJ, Haddow JE, Pandian R. Maternal Serum Invasive Trophoblast Antigen (Hyperglycosylated hCG) as a Screening Marker for Down Syndrome during the Second Trimester. *Clinical Chemistry*. 2004;50(10):1804-1808. doi:10.1373/clinchem.2004.038059
20. QuestDiagnostics. Prenatal Screening and Diagnosis of Fetal Chromosomal Abnormalities and Open Neural Tube Defects. https://testdirectory.questdiagnostics.com/test/test-guides/CF_PrenatScreen/prenatal-screening-and-
21. Lo YM, Corbetta N, Chamberlain PF, et al. Presence of fetal DNA in maternal plasma and serum. *Lancet (London, England)*. Aug 16 1997;350(9076):485-7. doi:10.1016/s0140-6736(97)02174-0
22. Shaw J, Scotchman E, Chandler N, Chitty LS. PREIMPLANTATION GENETIC TESTING: Non-invasive prenatal testing for aneuploidy, copy-number variants and single-gene disorders. *Reproduction*. 01 Nov. 2020 2020;160(5):A1-A11. doi:10.1530/rep-19-0591
23. ACOG. Committee Opinion No. 640: Cell-Free DNA Screening For Fetal Aneuploidy. *Obstetrics and gynecology*. Sep 2015;126(3):e31-7. doi:10.1097/aog.0000000000001051
24. Gregg AR, Skotko BG, Benkendorf JL, et al. Noninvasive prenatal screening for fetal aneuploidy, 2016 update: a position statement of the American College of Medical Genetics and Genomics. *Genetics in medicine : official journal of the American College of Medical Genetics*. Oct 2016;18(10):1056-65. doi:10.1038/gim.2016.97
25. Devers PL, Cronister A, Ormond KE, Facio F, Brasington CK, Flodman P. Noninvasive prenatal testing/noninvasive prenatal diagnosis: the position of the National Society of Genetic Counselors. *Journal of genetic counseling*. Jun 2013;22(3):291-5. doi:10.1007/s10897-012-9564-0
26. Bianchi DW, Platt LD, Goldberg JD, Abuhamad AZ, Sehnert AJ, Rava RP. Genome-wide fetal aneuploidy detection by maternal plasma DNA sequencing. *Obstetrics and gynecology*. May 2012;119(5):890-901. doi:10.1097/AOG.0b013e31824fb482
27. Lee, Kim H, Park J, et al. Clinical Validation of Non-Invasive Prenatal Testing for Fetal Common Aneuploidies in 1,055 Korean Pregnant Women: a Single Center Experience. *J Korean Med Sci*. Jun 24 2019;34(24):e172. doi:10.3346/jkms.2019.34.e172
28. Eiben B, Krapp M, Borth H, et al. Single Nucleotide Polymorphism-Based Analysis of Cell-Free Fetal DNA in 3000 Cases from Germany and Austria. *Ultrasound Int Open*. Jul 2015;1(1):E8-e11. doi:10.1055/s-0035-1555765
29. Westerfield L, Darilek S, van den Veyver IB. Counseling Challenges with Variants of Uncertain Significance and Incidental Findings in Prenatal Genetic Screening and Diagnosis. *Journal of clinical medicine*. Sep 2014;3(3):1018-32. doi:10.3390/jcm3031018
30. Strom CM, Anderson B, Tsao D, et al. Improving the Positive Predictive Value of Non-Invasive Prenatal Screening (NIPS). *PloS one*. 2017;12(3):e0167130. doi:10.1371/journal.pone.0167130
31. Neufeld-Kaiser WA, Cheng EY, Liu YJ. Positive predictive value of non-invasive prenatal screening for fetal chromosome disorders using cell-free DNA in maternal serum: independent clinical experience of a tertiary referral center. *BMC medicine*. 2015;13:129. doi:10.1186/s12916-015-0374-8
32. Al Toukhi S, Chitayat D, Keunen J, et al. Impact of introduction of noninvasive prenatal testing on uptake of genetic testing in fetuses with central nervous system anomalies. *Prenatal Diagnosis*. 2019;39:544-548. doi:10.1002/pd.5466
33. Bianchi D, Chudova D, Sehnert A, et al. Noninvasive prenatal testing and incidental detection of occult maternal malignancies. *JAMA*. 2015;314:162-169. doi:10.1001/jama.2015.7120
34. Palomaki GE, Deciu C, Kloza EM, et al. DNA sequencing of maternal plasma reliably identifies trisomy 18 and trisomy 13 as well as Down syndrome: an international collaborative study. *Genetics in medicine : official journal of the American College of Medical Genetics*. Mar 2012;14(3):296-305. doi:10.1038/gim.2011.73
35. Palomaki GE, Kloza EM, Lambert-Messerlian GM, et al. DNA sequencing of maternal plasma to detect Down syndrome: an international clinical validation study. *Genetics in medicine : official journal of the American College of Medical Genetics*. Nov 2011;13(11):913-20. doi:10.1097/GIM.0b013e3182368a0e
36. Norton ME, Jacobsson B, Swamy GK, et al. Cell-free DNA analysis for noninvasive examination of trisomy. *The New England journal of medicine*. Apr 23 2015;372(17):1589-97. doi:10.1056/NEJMoa1407349
37. van der Meij KRM, Siermans EA, Macville MVE, et al. TRIDENT-2: National Implementation of Genome-wide Non-invasive Prenatal Testing as a First-Tier Screening Test in the Netherlands. *The American Journal of Human Genetics*. 2019/12/05/ 2019;105(6):1091-1101. doi:10.1016/j.ajhg.2019.10.005
38. Heesterbeek CJ, Aukema SM, Galjaard R-JH, et al. Noninvasive Prenatal Test Results Indicative of Maternal Malignancies: A Nationwide Genetic and Clinical Follow-Up Study. *Journal of Clinical Oncology*. 2022/08/01 2022;40(22):2426-2435. doi:10.1200/JCO.21.02260

39. Luo Y, Hu H, Zhang R, et al. An assessment of the analytical performance of non-invasive prenatal testing (NIPT) in detecting sex chromosome aneuploidies: 34,717-patient sample in a single prenatal diagnosis Centre in China. *J Gene Med.* Sep 2021;23(9):e3362. doi:10.1002/jgm.3362
40. Garshasbi M, Wang Y, Hantoosh Zadeh S, Giti S, Piri S, Reza Hekmat M. Clinical Application of Cell-Free DNA Sequencing-Based Noninvasive Prenatal Testing for Trisomies 21, 18, 13 and Sex Chromosome Aneuploidy in a Mixed-Risk Population in Iran. *Fetal Diagn Ther.* Sep 5 2019:1-8. doi:10.1159/000501014
41. Futch T, Spinosa J, Bhatt S, de Feo E, Rava RP, Sehnert AJ. Initial clinical laboratory experience in noninvasive prenatal testing for fetal aneuploidy from maternal plasma DNA samples. *Prenat Diagn.* Jun 2013;33(6):569-74. doi:10.1002/pd.4123
42. Taneja PA, Snyder HL, de Feo E, et al. Noninvasive prenatal testing in the general obstetric population: clinical performance and counseling considerations in over 85 000 cases. *Prenat Diagn.* Mar 2016;36(3):237-43. doi:10.1002/pd.4766
43. Liang D, Cram DS, Tan H, et al. Clinical utility of noninvasive prenatal screening for expanded chromosome disease syndromes. *Genetics in Medicine.* 2019/09/01 2019;21(9):1998-2006. doi:10.1038/s41436-019-0467-4
44. Wu X, Li Y, Xie X, et al. Clinical Review of Noninvasive Prenatal Testing: Experience from 551 Pregnancies with Noninvasive Prenatal Testing—Positive Results in a Tertiary Referral Center. *The Journal of Molecular Diagnostics.* 2020/10/15/ 2020;doi:10.1016/j.jmoldx.2020.09.008
45. Muzzey D, Goldberg JD, Haverty C. Noninvasive prenatal screening for patients with high body mass index: Evaluating the impact of a customized whole genome sequencing workflow on sensitivity and residual risk. *Prenat Diagn.* Feb 2020;40(3):333-341. doi:10.1002/pd.5603
46. Dar P, Jacobsson B, MacPherson C, et al. Cell-free DNA screening for trisomies 21, 18, and 13 in pregnancies at low and high risk for aneuploidy with genetic confirmation. *Am J Obstet Gynecol.* Aug 2022;227(2):259.e1-259.e14. doi:10.1016/j.ajog.2022.01.019
47. Dai P, Yang Y, Zhao G, et al. A dPCR-NIPT assay for detections of trisomies 21, 18 and 13 in a single-tube reaction-could it replace serum biochemical tests as a primary maternal plasma screening tool? *J Transl Med.* Jun 15 2022;20(1):269. doi:10.1186/s12967-022-03455-y
48. LabCorp. Early risk assessment of Down syndrome and other conditions. <https://www.integratedgenetics.com/patients/pregnancy/maternit21plus>
49. Illumina. Verifi Prenatal Test Services. https://www.illumina.com/clinical/illumina_clinical_laboratory/verifi-prenatal-tests.html
50. Roche. Harmony Prenatal Test. <https://harmonytest.roche.com/global/en/home.html>
51. Natera. Panorama Test. <https://www.natera.com/panorama-test>
52. QuestDiagnostics. QNatal® Advanced. <http://education.questdiagnostics.com/faq/FAQ167>
53. Myriad. Prequel Prenatal Screen. <https://myriad.com/womens-health/patient-prequel/>
54. Centogene. CentoNIPT®. <https://www.centogene.com/diagnostics/our-tests/non-invasive-prenatal-testing/>
55. GenPath. Claritest Core Non-Invasive Prenatal Screening. <https://www.genpathdiagnostics.com/hcp/womens-health/prenatal-screening/claritest/>
56. YourgeneHealth. Non-Invasive Prenatal Testing (NIPT). <https://www.yourgene-health.com/yourgeneproducts/nipt>
57. Invitae. Invitae Non-invasive Prenatal Screening. <https://www.invitae.com/en/noninvasive-prenatal-screening/>
58. AgilentTechnologies. Clarigo <https://www.agilent.com/cs/library/brochures/Clarigo%20patient%20brochure%20v1708-EN.pdf>
59. NIPD. NIPD Genetics VERACITY new generation NIPT. NIPD Genetics. Updated 2021. <https://nipd.com/products/prenatal/veracity-patients/>
60. PerkinElmer. VANADIS® NIPT SYSTEM A Whole New Way to NIPT. <https://rh.perkinelmer.com/products/vanadis-nipt-system/>
61. BGI. The NIFTY® Test. <https://www.bgi.com/global/molecular-genetics/nifty-non-invasive-prenatal-testing/the-nifty-test-non-invasive-prenatal-testing/>
62. Genetics I. informaSeq® noninvasive prenatal test. Illumina, Inc. <https://www.labcorp.com/tests/related-documents/L13272>
63. LabCorp. First and second trimester serum screening. Laboratory Corporation of America Holdings. <https://www.integratedgenetics.com/patients/pregnancy/serum-screening>
64. Luna. Luna Prenatal Test. Luna Genetics. 2024. https://cdn.prod.website-files.com/60adc548ba98e3382beed23d/62a91215f4f2bf0f6bbe361f_QSE8.FORM.004%20Luna%20Prenatal%20Test%20Information%20Sheet%20v2.0.pdf
65. Luna. Luna Prenatal Test White Paper. 2022. https://assets.website-files.com/60adc548ba98e3382beed23d/62a915e6d02dc869709d0bea_QSE8.FORM.005%20Luna%20Prenatal%20Test%20White%20Paper%20v2.0.pdf
66. Bellair M, Amaral E, Ouren M, et al. Noninvasive single-cell-based prenatal genetic testing: A proof of concept clinical study. *Prenatal Diagnosis.* 2024;44(3):304-316. doi:10.1002/pd.6529
67. Wilson KL, Czerwinski JL, Hoskovec JM, et al. NSGC practice guideline: prenatal screening and diagnostic testing options for chromosome aneuploidy. *Journal of genetic counseling.* Feb 2013;22(1):4-15. doi:10.1007/s10897-012-9545-3
68. Benn P, Borell A, Chiu R, et al. Position statement from the Aneuploidy Screening Committee on behalf of the Board of the International Society for Prenatal Diagnosis. *Prenat Diagn.* Jul 2013;33(7):622-9. doi:10.1002/pd.4139
69. Palomaki GE, Chiu RWK, Pertile MD, et al. International Society for Prenatal Diagnosis (ISPD) Position Statement: Cell free (cf)DNA screening for Down syndrome in multiple pregnancies. *Prenatal Diagnosis.* 2020;Accepted for publication(n/a)doi:10.1002/pd.5832

70. Dungan JS, Klugman S, Darilek S, et al. Noninvasive prenatal screening (NIPS) for fetal chromosome abnormalities in a general-risk population: An evidence-based clinical guideline of the American College of Medical Genetics and Genomics (ACMG). *Genetics in medicine : official journal of the American College of Medical Genetics*. Feb 2023;25(2):100336. doi:10.1016/j.gim.2022.11.004
71. ASRM. Clinical management of mosaic results from preimplantation genetic testing for aneuploidy (PGT-A) of blastocysts: a committee opinion. *Fertility and Sterility*. 2023/11/01 2023;120(5):973-982. doi:10.1016/j.fertnstert.2023.08.969
72. FDA. Genetic Non-Invasive Prenatal Screening Tests May Have False Results: FDA Safety Communication. https://www.cdc.gov/locs/2022/04-20-2022-lab-alert-FDA_Issues_Safety_Communication_about_Risk_False_Results_Genetic_Non-Invasive_Prenatal_Screening_Tests.html

Publication History

04/01/2026: Policy created to support coverage guidelines, effective for dates of service beginning June 1, 2026

Background and Disclaimer Information

This policy applies to the products of Harvard Pilgrim Health Care and Tufts Health Plan and their affiliates, as identified in the check boxes on the first page for services performed by contracted providers.

Payment is based on member benefits and eligibility on the date of service, medical necessity review, where applicable, and the provider's network participation agreement with the Plan. As every claim is unique, this policy is neither a guarantee of payment, nor a final indication of how specific claim(s) will be adjudicated. Claims payment is subject to member eligibility and benefits on the date of service, coordination of benefits, referral/authorization, and utilization management requirements (when applicable), adherence to Plan policies and procedures, and claims editing logic. An authorization is not a guarantee of payment.

Point32Health reserves the right to amend a payment policy at its discretion. CPT and HCPCS codes are updated as applicable; please adhere to the most recent CPT and HCPCS coding guidelines.

We reserve the right to conduct audits on any provider and/or facility to ensure accuracy and compliance with the guidelines stated in this payment policy. If such an audit determines that a provider/facility did not comply with this payment policy, Harvard Pilgrim Health Care and Tufts Health Plan will expect the provider/facility to refund all payments related to noncompliance.