

Diagnosis & Procedure Codes Lookup

Table of Contents

Code Lookup Overview	1
Introduction	1
Online Code Search Options	1
Standard HIPAA Codes	1
4-Digit Revenue Codes	2
Diagnosis Search	2
Diagnosis Search by Code	2
Diagnosis Codes Search Results	3
Diagnosis Codes Search Results by Name	4
Diagnosis Search by Acronym	5
Procedure Search	6
Procedure Search by Code	6
Procedure Search by Name	6

Code Lookup Overview

Introduction

The HPHConnect "Code Lookup" feature is offered as a tool, and should be used in conjunction with current coding guides, such as CPT, HCPCS, revenue codes and ICD-10-CM. The codes listed in Code Lookup do not represent Harvard Pilgrim's billing requirements or payment policies. For more information, please refer to the Harvard Pilgrim *Provider Manual*.

Online Code Search Options

This section describes how to perform a diagnosis or procedure code lookup. The HPHConnect Code Lookup option provides access to a full list of procedure and diagnosis codes, CPT, HCHCS, revenue codes and ICD-10-CM.

You can search for a diagnosis or procedure code online via:

- The "Office Management/Code Lookup" search option, or
- The "Search" button at the diagnosis or procedure code field on the transaction entry form

Reminder: When submitting Referral/Auth requests, at least one diagnosis code is required and a procedure code is required for certain service requests.

Standard HIPAA Codes

When you do a code search, only the standard HIPAA codes display. The standard HIPAA code sets include CPT, ICD-10-CM, HCPCS and revenue codes. When submitting transactions, you must use only standard HIPAA codes.

4-Digit Revenue Codes

HIPAA electronic transaction coding standards require that all online authorization requests submitted with a revenue code for the requested procedure code must be submitted with a 4-digit revenue code.

For Harvard Pilgrim, this requirement primarily affects authorization requests for home care and hospice services. When submitting a home care or hospice transaction where the procedure code is a revenue code, use the appropriate 4-digit revenue code.

Code Search Basics

- You can search by code or narrative, including synonyms and layperson terminology, with partial or complete data.
- Your search criteria must contain a minimum of three digits or characters.
- When searching for diagnosis codes with 4 or 5 digits, you must enter a decimal after the 3rd digit.
- If you enter a 4- or 5-digit diagnosis without a decimal after the 3rd digit, the search returns only diagnoses that contain the 4- or 5-digit number in the description, if any are found.
- The search results identify the code set. All diagnosis codes list ICD-10-CM. Procedure codes will indicate CPT, HCPCS, or revenue.

Reminder: Harvard Pilgrim does not accept ICD-10-CM procedure codes on referral/authorization transactions.

Diagnosis Search by Code

HOME	PATIENT MANAGEMENT	OFFICE MANAGEMENT	ADMINISTRATION	RESOURCE C
		Eligibility		e ne ne
		Authorizations & Notific	ations	
Role	e Selection	Referrals		
		AIM Specialty Health		
Selec	t Role	Provider Directory		
		Reports		
SEL		Medical Drug Claim Guid	delines - HPHC	:
		HPHC Formulary & Phar	macy	
SEL	LECT ROLE	Provider Analytics		
		Code Audit Tool		
Current	t Role	Document Manager	łC	
OME	PATIENT MANAGEMENT OFFICE	MANAGEMENT ADMINISTRATIO	ON RESOURCE CENTER	
Carda Laal	lour.			
coue Loor				
The <i>HPHC</i>	Connect "Code Lookup" feature is offer	ed as a tool, and will not quarantee pa	wment and should be used in	a conjuction with current coc
The <i>HPHC</i> such as CF payment p	<i>Connect</i> *Code Lookup* feature is offer 27, HCPCS, UB92 Revenue Codes and I policies. For more information, please r	ed as a tool, and will not guarantee pr (CD-9CM. The codes listed in Code Lc efer to the <u>Harvard Pilgrim Provider M</u>	ayment, and should be used ir ookup do not represent Harva Ianual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CP payment p	Connect "Code Lookup" feature is offen PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	nyment, and should be used in ookup do not represent Harva Ianual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CP payment p	Connect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	nyment, and should be used i bokup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CP payment p	Connect *Code Lookup* feature is offer 7T, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lc efer to the <u>Harvard Pilgrim Provider M</u>	nyment, and should be used i sokup do not represent Harva <u>lanual</u>	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF payment p Code	Connect *Code Lookup* feature is offen PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search ® Diagnosis © Procedure	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	ayment, and should be used in sokup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CP bayment p Code	Connect *Code Lookup* feature is offen PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search ® Diagnosis © Procedure	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lc efer to the <u>Harvard Pilgrim Provider M</u>	nyment, and should be used in ookup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CP payment p	Connect *Code Lookup* feature is offen PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search ® Diagnosis ® Procedure	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	ayment, and should be used in ookup do not represent Harvai lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF payment p Code	ionnect "Code Lookup" feature is offen PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search ® Diagnosis © Procedure	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	nyment, and should be used in ookup do not represent Harvai lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF payment p Code	ionnect "Code Lookup" feature is offen PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search ® Diagnosis © Procedure PHConnect User Guide: Lookup a Diag	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	ayment, and should be used in sokup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF payment p Code	ionnect *Code Lookup * feature is offer 7T, HCPCS, UB92 Revenue Codes and I solicies. For more information, please r Search * Diagnosis © Procedure PHConnect User Guide: Lookup a Diag kup	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	ayment, and should be used in solcup do not represent Harvas lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF payment p Code	ionnect *Code Lookup * feature is offer 7T, HCPCS, UB92 Revenue Codes and I solicies. For more information, please r Search ® Diagnosis © Procedure PHConnect User Guide: Lookup a Diag	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u>	ayment, and should be used in solvup do not represent Harvar lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF Code See the HI See the HI	Connect *Code Lookup * feature is offer 7, HCPCS, UB92 Revenue Codes and I poolicies. For more information, please r 2 Search * Diagnosis © Procedure * PHConnect User Guide: Lookup a Diag kup	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> <u>gnosis or Procedure Code</u> .	nyment, and should be used in ookup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC Second as CF Code	Connect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r P Search Search P Diagnosis © Procedure PHConnect User Guide: Lookup a Diag kup	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> gnosis or Procedure Code.	ayment, and should be used in ookup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
Code	Connect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r P Search © Diagnosis © Procedure PHConnect User Guide: Lookup a Diag Rup	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> gnosis or Procedure Code.	ayment, and should be used in ookup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF Code Second Need help Code Lool	Connect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r Search © Diagnosis © Procedure PHConnect User Guide: Lookup a Diag Rup	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> <u>mosis or Procedure Code</u> .	ayment, and should be used in ookup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF Code See the H Ccode Look	ionnect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r e Search * Diagnosis © Procedure PHConnect User Guide: Lookup a Diag Rup	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> pnosis or Procedure Code.	ayment, and should be used in ookup do not represent Harva lanual	n conjuction with current coc rd Pilgrim's billing requirem
The HPHC such as CF Code See the HI Code Lool	ionnect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and i policies. For more information, please r P Search P Diagnosis Procedure PHConnect User Guide: Lookup a Diag Rup Inosis Code Seaa Search Diagnosis	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> gnosis or Procedure Code.	nyment, and should be used in ookup do not represent Harva lanual	n conjuction with current coo rd Pilgrim's billing requirem
The HPHC such as CF Code See the HI Code Lool	ionnect *Code Lookup* feature is offer PT, HCPCS, UB92 Revenue Codes and I policies. For more information, please r e Search Search © Diagnosis © Procedure PHConnect User Guide: Lookup a Diag kup Inosis Code Sea Search © Diagnosis ©	ed as a tool, and will not guarantee pa (CD-9CM. The codes listed in Code Lo efer to the <u>Harvard Pilgrim Provider M</u> gnosis or Procedure Code.	ayment, and should be used in ookup do not represent Harva lanual	n conjuction with current coo rd Pilgrim's billing requirems

Diagnosis Codes Search Results

Search R	esults		
Code Set	Code	Description	Related Codes
ICD-10-CM	E08.5	Diabetes mellitus due to underlying condition with circulatory complications	View
ICD-10-CM	E08.52	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene	View
ICD-10-CM	E08.51	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene	View
1CD-10-CM	E08.59	Diabetes mellitus due to underlying condition with other circulatory complications	View
Pages: (1) Re	esults: 4		

Search Re	sults		
Code Set	Code	Description	Related Codes
1CD-10-CM	E08.52	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene	
SCD-10-CM	E08.51	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene	
ICD-10-CM	E08.59	Diabetes mellitus due to underlying condition with other circulatory complications	
Pages: (1) Re	sults: 3		

Hyperlinks on the "Search Results" screen provide access to additional codes related to the code on the list.

Search Results				
Code Set	Code	Description	Related Codes	
100-10-0M	E08.52	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene		
ICD-10-CM	E08.51	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene		
300-10-0M	E08.59	Diabetes mellitus due to underlying condition with other circulatory complications		
Pages: (1) Re	esults: 3			

Diagnosis Codes Search Results by Name

With the search type indicating "Diagnosis," enter the name of the condition in the text box and click "Find." *Example*: A search for the diagnosis migraine, returns a list of diagnosis codes.

Diagnosis Code Searc	h	
Search	cedure migraine	FIND

Search Results			
Code Set	Code	Description	Related Codes
1CD-10-CM	G43.D	Abdominal migraine	View
ICD-10-CM	G43.D1	Abdominal migraine, intractable	View
ICD-10-CM	G43.D0	Abdominal migraine, not intractable	View
ICD-10-CM	G43.7	Chronic migraine without aura	View
ICD-10-CM	G43.71	Chronic migraine without aura, intractable	View

Search Result	s		
Code Set	Code	Description	Related Codes
100-10-CM	G43.D1	Abdominal migraine, intractable	
100-10-CM	G43.D0	Abdominal migraine, not intractable	
Pages: (1) Results: 2	2		

Diagnosis Search by Acronym

With the search type indicating "Diagnosis," enter the acronym of the condition in the text box and click "Find."

Diagnosis	Code Search		
Search	● Diagnosis ○ Procedure	chf	FIND

Search	Results	
Code Set	Code	Description
ICD-10-CM	R85.3	Abnormal level of substances chiefly nonmedicinal as to source in specimens from digestive organs and abdominal cavity
100-10-CM	R82.6	Abnormal urine levels of substances chiefly nonmedicinal as to source
ICD-10-CM	150.41	Acute combined systolic (congestive) and diastolic (congestive) heart failure
100-10-CM	150.31	Acute diastolic (congestive) heart failure
100-10-CM	150.43	Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure

Search	Results	
Code Set	Code	Description
100-10-0M	R85.6	Abnormal cytological findings in specimens from digestive organs and abdominal cavity
100-10-0M	R85.7	Abnormal histological findings in specimens from digestive organs and abdominal cavity
100-10-CM	R85.4	Abnormal immunological findings in specimens from digestive organs and abdominal cavity
100-10-0M	R85.0	Abnormal level of enzymes in specimens from digestive organs and abdominal cavity
100-10-CM	R85.1	Abnormal level of hormones in specimens from digestive organs and abdominal cavity

Procedure Search by Code

With the search type indicating "Procedure," enter at least 3 digits of the code in the text box. Click "Find." *Example*: A search for procedure codes containing "450" returns a list of HIPAA-compliant codes that match.

Procedure Code Search				
Search © Diagnosis ® Procedure	450	FIND		

Search Results					
I	Description	Related Codes			
C (e	:YP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants eg, *2, *3, *4, *8, *17)				
C (e	:YP2C9 (cytochrome P450, family 2, subfamily C, polypeptide 9) (eg, drug metabolism), gene analysis, common variants ag, *2, *3, *5, *6)				
C (e	:YP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism), gene analysis, common variants eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41, *1XN, *2XN, *4XN)				
In	ncision and drainage of deep supralevator, pelvirectal, or retrorectal abscess				
In	ncision and drainage of deep supralevator, pelvir	ectal, or retrorectal abscess			

Procedure Search by Name

With the search type indicating "Procedure," enter at least 3 characters in the text box. Click "Find."

Example: A search for procedure codes using the layperson terminology, lap chole, returns procedure codes used to report laparoscopic cholecystectomy.

Procedure Code Search							
Search	Diagnosis	Procedure lap chole FIND					
Search Results							
Code Set	Code	Description	Related Codes				
CPT	47563	Laparoscopy, surgical; cholecystectomy with cholangiography					
C9T	47564	Laparoscopy, surgical; cholecystectomy with exploration of common duct					
СЭТ	47562	Laparoscopy, surgical; cholecystectomy					
CPT	47570	Laparoscopy, surgical; cholecystoenterostomy					
Pages: (1) Results: 4							