

Effective: February 13, 2024

Guideline Type	☐ Prior Authorization
	□ Non-Formulary
	□ Step-Therapy

Applies to:

Commercial Products

- Barvard Pilgrim Health Care Commercial products; Fax: 617-673-0988
- Infts Health Plan Commercial products; Fax: 617-673-0988
 - CareLinkSM Refer to CareLink Procedures, Services and Items Requiring Prior Authorization

Public Plans Products

⊠ Tufts Health Direct – A Massachusetts Qualified Health Plan (QHP) (a commercial product); Fax: 617-673-0988

Note: While you may not be the provider responsible for obtaining prior authorization, as a condition of payment you will need to ensure that prior authorization has been obtained.

Overview

Food and Drug Administration – Approved Indications

Arcalyst (rilonacept) is an interleukin-1 blocker indicated for:

 Cryopyrin-Associated Periodic Syndromes (CAPS), Familial Cold Auto-Inflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS)

Treatment of CAPS, including FCAS and MWS in adults and children 12 and older.

- Deficiency of Interleukin-1 Receptor Antagonist (DIRA) Maintenance of remission of DIRA in adults and pediatric patients weighing 10 kg or more.
- Recurrent Pericarditis Treatment of recurrent pericarditis (RP) and reduction in risk of recurrence in adults and children 12 years and older.

Clinical Guideline Coverage Criteria

The plan may authorize coverage of Arcalyst for Members when all of the following criteria are met:

Cryopyrin-Associated Periodic Syndromes (CAPS), Familial Cold Auto-Inflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS)

- 1. Documented diagnosis of one of the following:
 - a. Cryopyrin-Associated Periodic Syndromes
 - b. Familial Cold Auto-Inflammatory Syndrome
 - c. Muckle-Wells Syndrome

Deficiency of Interluekin-1 Receptor Antagonist (DIRA)

1. Documented diagnosis of deficiency of interleukin-1 receptor antagonist

Recurrent Pericarditis

1. Documented diagnosis of recurrent pericarditis

AND

2. Prescribed by or in consultation with a cardiologist or rheumatologist

AND

- 3. Documentation of **one (1)** of the following:
 - a. Trial and failure of standard treatment with colchicine and nonsteroidal anti-inflammatory drugs and/or systemic corticosteroids
 - b. Clinical inappropriateness to standard treatment with colchicine and nonsteroidal anti-inflammatory drugs and/or systemic corticosteroids

Limitations

1. For a non-formulary medication request, please refer to the Pharmacy Medical Necessity Guidelines for Formulary Exceptions and submit a formulary exception request to the plan as indicated.

Codes

None

References

- 1. Arcalyst (rilonacept) [package insert]. Tarrytown, NY: Regeneron Pharmaceuticals, Inc.; March 2021.
- 2. Chiabrando JG, et al, Management of acute and recurrent pericarditis: JACC State-of-the-Art Review. J Am Coll Cardiol. 2020 Jan;75(1):76-92.
- Church LD, Savic S, McDermott MF. Long term management of patients with cryopyrin-associated periodic syndromes (CAPS): focus on rilonacept (IL-1 Trap). *Biologics*. 2008 Dec;2(4):733-42.
- 4. Gillespie J, Mathews R, McDermott MF. Rilonacept in the management of cryopyrin-associated periodic syndromes (CAPS). *J Inflamm Res.* 2010;3:1-8.
- Goldbach-Mansky R, Shroff SD, Wilson M et al. A pilot study to evaluate the safety and efficacy of the long-acting interleukin-1 inhibitor rilonacept (interleukin-1 Trap) in patients with familial cold autoinflammatory syndrome. *Arthritis Rheum*. 2008 Aug;58(8):2432-42.
- Hoffman HM, Throne ML, Amar NJ et al. Efficacy and safety of rilonacept (interleukin-1 Trap) in patients with cryopyrinassociated periodic syndromes: results from two sequential placebo-controlled studies. *Arthritis Rheum*. 2008 Aug;58(8):2443-52.
- 7. Hoffman HM, Throne ML, Amar NJ et al. Long-term efficacy and safety profile of rilonacept in the treatment of cryopryinassociated periodic syndromes: results of a 72-week open-label extension study. *Clin Ther.* 2012 Oct;34(10):2091-103.
- 8. Kubota T, Koike R. Cryopyrin-associated periodic syndromes: background and therapeutics. *Mod Rheumatol.* 2010 Jun;20(3):213-21.
- 9. Yu JR, Leslie KS. Cryopyrin-associated periodic syndrome: an update on diagnosis and treatment response. *Curr Allergy Asthma Rep.* 2011 Feb;11(1):12-20.

Approval And Revision History

September 13, 2022: Reviewed by the Pharmacy & Therapeutics Committee.

- May 9, 2023: No changes
- February 13, 2024: No changes

Background, Product and Disclaimer Information

Pharmacy Medical Necessity Guidelines have been developed for determining coverage for plan benefits and are published to provide a better understanding of the basis upon which coverage decisions are made. The plan makes coverage decisions on a case-by-case basis considering the individual member's health care needs. Pharmacy Medical Necessity Guidelines are developed for selected therapeutic classes or drugs found to be safe, but proven to be effective in a limited, defined population of patients or clinical circumstances. They include concise clinical coverage criteria based on current literature review, consultation with practicing physicians in the service area who are medical experts in the particular field, FDA and other government agency policies, and standards adopted by national accreditation organizations. The plan revises and updates Pharmacy Medical Necessity Guidelines annually, or more frequently if new evidence becomes available that suggests needed revisions.

For self-insured plans, coverage may vary depending on the terms of the benefit document. If a discrepancy exists between a Pharmacy Medical Necessity Guideline and a self-insured Member's benefit document, the provisions of the benefit document will govern.

Point32Health companies

Treating providers are solely responsible for the medical advice and treatment of members. The use of this policy is not a guarantee of payment or a final prediction of how specific claim(s) will be adjudicated. Claims payment is subject to member eligibility and benefits on the date of service, coordination of benefits, referral/authorization and utilization management guidelines when applicable, and adherence to plan policies and procedures and claims editing logic.