

# **Preventive Services**

Applies to the following Tufts Health Plan products:

Tufts Health Plan Commercial

□ Tufts Medicare Preferred HMO

□ Tufts Health Plan Senior Care Options (SCO) products

Applies to the following Tufts Health Public Plans products:

☑ Tufts Health Direct – Health Connector

□ Tufts Health Together – A MassHealth Plan

Tufts Health Unify – OneCare Plan

□ Tufts Health RITogether – A RI Medicaid Plan

The Patient Protection and Affordable Care Act (commonly referred to as Federal Health Care Reform), requires all Tufts Health Plan plans to provide 100% coverage for preventive care services. Grandfathered groups are not subject to this requirement, but many of these groups have opted to cover preventive services with no cost sharing.

This means that members will have no cost sharing responsibility when preventive services are rendered by an in-network provider. Members may still be required to pay a copayment, deductible or coinsurance for preventive services received from out-of-network providers (PPO and POS plans), or for nonpreventive services received in conjunction with a preventive services visit.

Preventive services identified in this policy are based on recommendations from the U.S. Preventive Services Task Force (USPSTF), Bright Futures, American Academy of Pediatrics (AAP), Centers for Disease Control and Prevention (CDC), and Advisory Committee for Immunization Practices (ACIP through CDC), and Health Resources and Services Administration (HRSA).

Tufts Health Plan accepts and recognizes the use of modifier 33; when the primary purpose of the service is the delivery of an evidence based service in accordance with a USPSTF A or B rating in effect and other preventive services identified in preventive services mandates (legislative or regulatory), the service may be identified by adding 33 to the procedure. For separately reported services specifically identified as preventive, the modifier should not be used. Refer to our <u>Modifier Payment Policy</u> for more information regarding modifiers.

Tufts Health Plan covers women's preventive health services with no cost share for most members when rendered by an in-network provider. Please refer to the <u>Women's Health</u> section of this document for additional information.

Gender-specific preventive screenings may be medically necessary for transgender members appropriate to either their former or present anatomy/gender, depending on the screening at issue. (e.g., a transgender male who has retained female breasts is eligible for breast cancer preventive screenings).

Claims are subject to payment edits that are updated at regular intervals and generally based on CMS (including NCCI), specialty society guidelines and drug manufacturers' package label inserts.

### Included in this policy:

Preventive Services: Office Visit, Immunization Administration, Venipuncture Routine Health Screening: Adult Routine Health Screenings: Pediatric Preventive Immunizations: Adult and Pediatric Preventive Counseling Services Women's Health Pharmacy

PREVENTIVE SERVICES	
Preventive Office Visits	CPT/HCPCS Code(s):
	99381 - Initial comprehensive preventive medicine
	evaluation and management of an individual including an
	age and gender appropriate history, examination,
	counseling/anticipatory guidance/risk factor reduction
	interventions, and the ordering of laboratory/diagnostic
	procedures, new patient; infant (age younger than 1 year)
	<b>99382</b> -; early childhood (age 1 through 4 years)
	<b>99383</b> -; late childhood (age 5 through 11 years)
	<b>99384</b> -; adolescent (age 12 through 17 years)
	<b>99385</b> -; 18-39 years <b>99386</b> -; 40-64 years
	<b>99387</b> -; 65 years and older
	<b>99391</b> - Periodic comprehensive preventive medicine
	reevaluation and management of an individual including
	an age and gender appropriate history, examination,
	counseling/anticipatory guidance/risk factor reduction
	interventions, and the ordering of laboratory/diagnostic
	procedures, established patient; infant (age younger than
	1 year)
	<b>99392</b> -; early childhood (age 1 through 4 years)
	99393 -; late childhood (age 5 through 11 years)
	<b>99394</b> -; adolescent (age 12 through 17 years)
	<b>99395</b> -; 18-39 years
	<b>99396</b> -; 40-64 years
	<b>99397</b> -; 65 years and older
	<b>99460</b> - Initial hospital or birthing center care, per day,
	for evaluation and management of normal newborn infant
	<b>99461</b> - Initial care, per day , for evaluation and
	management of normal newborn infant seen in other than
	hospital or birthing center <b>99462</b> - Subsequent hospital care, per day, for evaluation
	and management of normal newborn
	<b>99463</b> - Initial hospital or birthing center care, per day,
	for evaluation and management of normal newborn infant
	admitted and discharged on the same date
	<b>G0438</b> - Annual wellness visit; includes a personalized
	prevention plan of service (PPS), initial visit
	G0439 - , subsequent visit
Preventive Immunization	<u>CPT code(s):</u>
Administration Codes	90460 - Immunization administration through 18 years of
	age via any route of administration, with counseling by
	physician or other qualified health care professional; first
	vaccine/toxoid component
	<b>90461</b> - Immunization administration through 18 years of
	age via any route of administration, with counseling by
	physician or other qualified health care professional; each
	additional vaccine/toxoid component (List separately in addition to code for primary procedure)
	<b>90471</b> - Immunization administration (includes
	percutaneous, intradermal, subcutaneous, or
	intramuscular injections); 1 vaccine (single or combination
	vaccine/toxoid)
	<b>90472</b> - Immunization administration (includes
	percutaneous, intradermal, subcutaneous, or
	intramuscular injections); each additional vaccine (single
	or combination vaccine/toxoid) (List separately in addition
	to code for primary procedure)
	90473 - Immunization administration by intranasal or oral
	route; 1 vaccine (single or combination vaccine/toxoid)
	90474 - Immunization administration by intranasal or oral
	route; each additional vaccine (single or combination

PREVENTIVE SERVICES	
	<ul> <li>vaccine/toxoid) (List separately in addition to code for primary procedure)</li> <li>96380- Administration of respiratory syncytial virus, monoclonal antibody, seasonal dose by intramuscular injection, with counseling by physician or other qualified health care professional</li> <li>96381- Administration of respiratory syncytial virus, monoclonal antibody, seasonal dose by intramuscular injection</li> <li>G0008 - Administration of influenza virus vaccine</li> </ul>
Venipuncture for preventive pathology and laboratory service(s)	<ul> <li>G0009 - Administration of pneumococcal vaccine</li> <li>G0010 - Administration of hepatitis B vaccine</li> <li><u>CPT code(s) billed with the below ICD-10 code(s):</u></li> <li>36415 - Collection of venous blood by venipuncture</li> <li>36416 - Collection of capillary blood specimen (e.g.,</li> </ul>
	finger, heel, ear stick) <u>ICD-10 code(s):</u> <b>O09.A – O09.A3 -</b> Supervision of pregnancy with history of molar pregnancy <b>O09.00 - O09.93 -</b> Supervision of high risk pregnancy <b>Z00.00 -</b> Encounter for general adult medical exam w/o abnormal findings <b>Z00.01 -</b> Encounter for general adult medical examination with abnormal findings <b>Z00.110 -</b> Health examination for newborn under 8 days old <b>Z00.111 -</b> Health examination for newborn 8 to 28 days old <b>Z00.121 -</b> Encounter for routine child health examination with abnormal findings <b>Z00.129 -</b> Encounter for routine child health exam w/o abnormal findings <b>Z13.1 -</b> Encounter for screening for diabetes mellitus <b>Z13.20 -</b> Encounter for screening for lipoid disorders <b>Z30.2 -</b> Encounter for sterilization <b>Z33.1 -</b> Pregnant state, incidental <b>Z33.3 -</b> Pregnant state, gestational carrier <b>Z34.00 - Z34.93 -</b> Encounter for supervision of normal
DOUTING USALTU CODEFNINCO, ADU	pregnancy
ROUTINE HEALTH SCREENINGS: ADUL Abdominal Aortic Aneurysm: One- time screening for men ages 65-75 who have ever smoked	CPT/HCPCS codes(s) billed with the below ICD-10 code(s): 76706 - Ultrasound, abdominal aorta, real time with image documentation, screening study for abdominal aortic aneurysm (AAA)
	ICD-10 code(s): Z13.6 - Encounter for screening for cardiovascular disorders Z87.891 - Personal history of nicotine dependence F17.210 - Nicotine dependence, cigarettes, uncomplicated F17.211 - Nicotine dependence, cigarettes, in remission F17.213 - Nicotine dependence, cigarettes, with withdrawal F17.218- Nicotine dependence, cigarettes, with other nicotine-induced disorders F17.219 - Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders

Screening: Pregnant women at 12 to 16 weeks gestation or at their first prenatal visit, if later Rh (D) Blood Typing: First pregnancy related visit and at 24 to 28 weeks	<b>CPT code(s) billed with the below ICD-10 code(s):</b> <b>81000</b> - Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any
Screening: Pregnant women at 12 to 16 weeks gestation or at their first prenatal visit, if later Rh (D) Blood Typing: First pregnancy related visit and at 24 to 28 weeks	<b>81000</b> - Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any
gestation for all unsensitized RN (D)- negative women unless the biological father is known to be Rh (D)-negative <b>Iron Deficiency Anemia Screening:</b> Pregnant Women	number of these constituents; non-automated, with microscopy <b>81007</b> - Urinalysis; bacteriuria screen, except by culture or dipstick <b>85013</b> - Blood count; spun microhematocrit <b>85014</b> - Blood count; hematocrit (Hct) <b>85018</b> - Blood count; hemoglobin (Hgb) <b>85025</b> - Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count <b>85027</b> - ; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) <b>85041</b> - Blood count; red blood cell (RBC), automated <b>86900</b> - Blood typing, serologic; ABO <b>86901</b> - Blood typing, serologic; Rh (D) <b>G0306</b> - Complete CBC, automated (HgB, HCT, RBC, WBC, without platelet count) and automated WBC differential count <b>G0307</b> - Complete (CBC), automated (HgB, Hct, RBC, WBC; without platelet count)
	ICD-10 code(s): O09.A - O09.A3 -Supervision of pregnancy with history of molar pregnancy O09.00 - O09.93 - Supervision of high risk pregnancy Z33.1 - Pregnant state, incidental Z33.3 - Pregnant state, gestational carrier Z34.00 - Z34.93 - Encounter for supervision of normal
	pregnancy Included in <u>Preventive Office Visit</u>
ages 18 and older	For measurements outside of the clinical setting for diagnostic confirmation before starting treatment; bill the following <u>CPT code(s) with the below ICD-10</u> <u>code</u> : <b>93784</b> - Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; including recording, scanning analysis, interpretation and report <b>93786</b> - Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; recording only <b>93788</b> - Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; scanning analysis with report <b>93790</b> - Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; scanning analysis with report <b>93790</b> - Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; review with interpretation and report <b>A4660</b> - Sphygmomanometer/blood pressure apparatus with cuff and stethoscope <b>A4663</b> - Blood pressure cuff only (when billed with modifier RR) <b>A4670</b> - Automatic blood pressure monitor (when billed with modifier RR) <b>ICD 10 code(s):</b> <b>R03.0</b> - Elevated blood-pressure reading, without

BRCA Genetic Testing	CPT code(s) billed with the below ICD-10 code(s):
*Prior Authorization is required for BRCA Genetic Testing. Please refer to our Medical Necessity Guideline: <u>Genetic</u>	<b>81162</b> - BRCA1 (BRCA1, DNA repair associated), BRCA2 (BRCA2, DNA repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and

PREVENTIVE SERVICES	
Testing: BRCA-Related Breast and/or	full duplication/deletion analysis (ie, detection of large
Ovarian Cancer Syndrome	gene arrangements)
	<b>81163</b> - BRCA1 (BRCA1, DNA repair associated), BRCA2
	(BRCA2, DNA repair associated) (eg, hereditary breast and
	ovarian cancer) gene analysis; full sequence analysis
	81164 - BRCA1 (BRCA1, DNA repair associated), BRCA2
	(BRCA2, DNA repair associated) (eg, hereditary breast and
	ovarian cancer) gene analysis; full duplication/deletion
	analysis (ie, detection of large gene rearrangements)
	<b>81165</b> - BRCA1 (BRCA1, DNA repair associated) (eg,
	hereditary breast and ovarian cancer) gene analysis; full
	sequence analysis
	81166 - BRCA1 (BRCA1, DNA repair associated) (eg,
	hereditary breast and ovarian cancer) gene analysis; full
	duplication/deletion analysis (ie, detection of large gene
	rearrangements)
	81167 - BRCA2 (BRCA2, DNA repair associated) (eg,
	hereditary breast and ovarian cancer) gene analysis; full
	duplication/deletion analysis (ie, detection of large gene
	rearrangements)
	<b>81212</b> - 185delAG, 5385insC, 6174delT variants
	<b>81215</b> - known familial variant
	<b>81216</b> - BRCA2 (BRCA2, DNA repair associated) (eg,
	hereditary breast and ovarian cancer) gene analysis; full
	sequence analysis
	<b>81217</b> - known familial variant
	ICD 10 code(s):
	<b>Z12.31</b> - Encounter for screening mammogram for
	malignant neoplasm of breast
	<b>Z12.39</b> - Encounter for other screening for malignant
	neoplasm of breast
	<b>Z15.01</b> - Genetic susceptibility to malignant neoplasm of
	breast
	<b>Z15.02</b> - Genetic susceptibility to malignant neoplasm of ovary
	<b>Z80.0 -</b> Family history of malignant neoplasm of digestive
	organs
	<b>Z80.3</b> - Family history of malignant neoplasm of breast
	<b>Z80.41</b> - Family history of malignant neoplasm of ovary
	<b>Z80.49</b> - Family history of malignant neoplasm of other
	genital organs
	<b>Z80.8</b> - Family history of malignant neoplasm of other
	organs or systems
	<b>Z85.09</b> - Personal history of malignant neoplasm of
	other digestive organs
	<b>285.3</b> - Personal history of malignant neoplasm of breast
	<b>285.43</b> - Personal history of malignant neoplasm of ovary
	<b>285.44</b> - Personal history of malignant neoplasm of other
	female genital organs
Breast Cancer Screening: Every 1 to 2	
Breast Cancer Screening: Every 1 to 2 years for women aged 40 years and	77063 - Screening digital breast tomosynthesis bilateral
vears for women aged 40 years and	
	(List separately in addition to code for primary procedure)
vears for women aged 40 years and	<ul> <li>77063 - Screening digital breast tomosynthesis, bilateral (List separately in addition to code for primary procedure)</li> <li>77067 - Screening mammography, bilateral (2-view stud of each breast), including computer-aided detection (CAD)</li> </ul>

Cervical Cancer Screening: Every 3	CPT/HCPCS code(s) billed with the below ICD-10
years with cervical cytology alone in	<u>code(s):</u>
women aged 21 to 29 years. For women	87623 - Infectious agent detection by nucleic acid
aged 30 to 65 years, every 3 years with	(DNA or RNA); Human Papillomavirus (HPV), low-risk
cervical cytology alone, every 5 years	types (eg, 6, 11, 42, 43, 44)
with high-risk human papillomavirus	88141 - Cytopathology, cervical or vaginal (any reporting
(hrHPV) testing alone, or every 5 years	system), requiring interpretation by physician
with hrHPV testing in combination with	88142 - Cytopathology, cervical or vaginal (any reporting
cytology (cotesting)	system), collected in preservative fluid, automated thin
	layer preparation, manual screening under physician
	supervision
	<b>88143</b> - Cytopathology, cervical or vaginal (any reporting
	system)
	<b>88147</b> - Cytopathology smears, cervical or vaginal;
	screening by automated system
	<b>88148</b> - Cytopathology smears, cervical or vaginal;
	screening by automated system with manual rescreening
	<b>88150</b> - Cytopathology, slides, cervical or vaginal;
	manual screening

PREVENTIVE SERVICES	
	88152 - Cytopathology, slides, cervical or vaginal; with
	manual screening and computer-assisted rescreening
	<b>88153</b> - Cytopathology, slides, cervical or vaginal; with
	manual screening and rescreening
	<b>88155</b> - Cytopathology, slides, cervical or vaginal,
	definitive hormonal evaluation
	<b>88164</b> - Cytopathology, slides, cervical or vaginal (the
	Bethesda System); manual screening
	<b>88165</b> - Cytopathology, slides, cervical or vaginal (the Bethesda System); with manual screening and rescreening
	<b>88166</b> - Cytopathology, slides, cervical or vaginal (the
	Bethesda System); with manual screening and computer-
	assisted rescreening
	88167 - Cytopathology, slides, cervical or vaginal (the
	Bethesda System); with manual screening and computer-
	assisted rescreening using cell selection and review
	88174 - Cytopathology, cervical or vaginal (any reporting
	system), collected in preservative fluid, automated thin
	layer preparation; screening by automated system
	<b>88175</b> - Cytopathology, cervical or vaginal (any reporting
	system), collected in preservative fluid, automated thin
	layer preparation; with screening by automated system
	and manual rescreening or review
	<b>G0101</b> - Cervical or vaginal cancer screening; pelvic and clinical breast examination
	<b>G0123</b> - Screening cytopathology, cervical or vaginal (any
	reporting system), collected in preservative fluid,
	automated thin layer preparation
	<b>G0124</b> - Screening cytopathology, cervical or vaginal (any
	reporting system), collected in preservative fluid,
	automated thin layer preparation, requiring interpretation
	by physician
	G0141 - Screening cytopathology smears, cervical or
	vaginal, performed by automated system, with manual
	rescreening, requiring interpretation by physician
	<b>G0143</b> - Screening cytopathology, cervical or vaginal (any
	reporting system), collected in preservative fluid,
	automated thin layer preparation, with manual screening and rescreening
	<b>G0144</b> - Screening cytopathology, cervical or vaginal (any
	reporting system), collected in preservative fluid,
	automated thin layer preparation, with screening by
	automated system
	<b>G0145</b> - Screening cytopathology, cervical or vaginal (any
	reporting system), collected in preservative fluid,
	automated thin layer preparation, with screening by
	automated system and manual rescreening
	<b>G0147</b> - Screening cytopathology smears, cervical or
	vaginal, performed by automated system
	<b>G0148</b> - Screening cytopathology smears, cervical or
	vaginal, performed by automated system with manual
	rescreening
	<b>P3000</b> - Screening Papanicolaou smear, cervical or vaginal, up to 3 smears, by technician under physician
	supervision
	<b>P3001</b> - Screening Papanicolaou smear, cervical or
	vaginal, up to 3 smears, requiring interpretation by
	physician
	<b>Q0091</b> - Screening Papanicolaou smear; obtaining,
	preparing and conveyance of cervical or vaginal smear to
	laboratory
	ICD-10 code(s):

PREVENTIVE SERVICES	
PREVENTIVE SERVICES Chlamydia and Gonorrhea Screening: Women age 24 & younger or 25 & older at increased risk	<ul> <li>Z01.411 - Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 - Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z12.4 - Encounter for screening for malignant neoplasm of cervix</li> <li><u>CPT code(s) billed with the below ICD-10 code(s)</u>: 87110 - Culture, chlamydia, any source</li> <li>87270 - Infectious agent antigen detection by immunofluorescent technique</li> <li>87320 - Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Chlamydia trachomatis</li> <li>87490 - Infectious agent detection by nucleic acid (DNA or RNA); direct probe technique</li> <li>87491 - Infectious agent detection by nucleic acid (DNA or RNA); amplified probe technique</li> <li>87590 - Infectious agent detection by nucleic acid (DNA or RNA); quantification</li> <li>87590 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique</li> <li>87591 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe Technique</li> <li>87592 - Lifectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe</li> <li>7591 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe</li> <li>7590 - Technique</li> </ul>
	<ul> <li>87590 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique</li> <li>87591 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe Technique</li> <li>87592 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, quantification</li> <li>87810 - Infectious agent antigen detection by immunoassay with direct optical (ie, visual) observation; Chlamydia trachomatis</li> <li>87850 - Infectious agent antigen detection by immunoassay with direct optical observation; Neisseria</li> </ul>
	gonorrhoeae <u>ICD-10 code(s):</u> <b>Z11.3</b> - Encounter for screening for infections with a predominantly sexual mode of transmission <b>Z00.00</b> - Encounter for general adult medical examination without abnormal findings <b>Z00.01</b> - Encounter for general adult medical examination with abnormal findings

Colorectal Cancer Screening: Adults	CPT/HCPCS code(s) billed with the below ICD-10
ages 45-75	<u>code(s):</u>
	<b>00811</b> - Anesthesia for lower intestinal endoscopic
*Cologuard (81528) is covered once	procedures, endoscope introduced distal to duodenum; not
every 3 years	otherwise specified
*Ancillary services performed during	<b>00812</b> - Anesthesia for lower intestinal endoscopic
screening procedure are considered	procedures, endoscope introduced distal to duodenum,
preventive when appropriate.	screen colonoscopy <b>45330</b> - Sigmoidoscopy, flexible; diagnostic, with or
*Drion Authorization is required for these	without collection of specimens(s) by brushing or
*Prior Authorization is required for those indicated. Please refer to: <u>High-Tech</u>	washing
Imaging and Cardiac Program Prior	<b>45331</b> - Sigmoidoscopy, flexible; with biopsy, single or
Authorization Code Matrix	multiple
	<b>45332</b> - Sigmoidoscopy, flexible; with removal of foreign
	body
	45333 - Sigmoidoscopy, flexible; with removal of
	<pre>tumor(s), polyp(s), or other lesion(s) by hot biopsy</pre>
	forceps or bipolar cautery
	<b>45334</b> - Sigmoidoscopy, flexible; with control of bleeding
	(e.g., injection, bipolar cautery, unipolar cautery, laser,
	heater probe, stapler, plasma coagulator)
	<b>45335</b> - Sigmoidoscopy, flexible; with directed
	submucosal injection(s), any substance <b>45337</b> - Sigmoidoscopy, flexible; with decompression of
	volvulus, any method
	<b>45338</b> - Sigmoidoscopy, flexible; with removal of
	tumor(s), polyp(s), or other lesion(s) by snare technique

PREVENTIVE SERVICES	
	<b>45340</b> - Sigmoidoscopy, flexible; with dilation by balloon, 1 or more strictures
	<b>45341</b> - Sigmoidoscopy, flexible; with endoscopic
	ultrasound examination
	<b>45342</b> - Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle
	aspiration/biopsy(s)
	45346 - Sigmoidoscopy, flexible; with ablation of
	tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)
	<b>45378</b> - Colonoscopy, flexible, proximal to splenic
	flexure; diagnostic, with or without collection of
	specimens(s) by brushing or washing, with or without colon decompression (separate procedure
	<b>45379</b> - Colonoscopy, flexible, proximal to splenic
	flexure; with removal of foreign body
	<b>45380</b> - Colonoscopy, flexible, proximal to splenic flexure; with biopsy, single or multiple
	<b>45381</b> - Colonoscopy, flexible, proximal to splenic
	flexure; with directed submucosal injection(s), any
	substance <b>45382</b> - Colonoscopy, flexible, proximal to splenic
	flexure; with control of bleeding (e.g., injection, bipolar
	cautery, unipolar cautery, laser, heater probe, stapler,
	plasma coagulator)
	<b>45384</b> - Colonoscopy, flexible, proximal to splenic flexure; with removal of tumor(s), polyp(s), or other
	lesion(s) by hot biopsy forceps or bipolar cautery
	<b>45385</b> - Colonoscopy, flexible, proximal to splenic
	flexure; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique
	45386 - Colonoscopy, flexible, proximal to splenic
	flexure; with dilation by balloon, 1 or more strictures
	<b>45388</b> - Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation
	and guide wire passage, when performed)
	<b>45391</b> - Colonoscopy, flexible, proximal to splenic flexure; with endoscopic ultrasound examination
	<b>45392</b> - Colonoscopy, flexible, proximal to splenic
	flexure; with transendoscopic ultrasound guided
	intramural or transmural fine needle aspiration/biopsy(s) <b>74263</b> * - Computed tomographic (CT) colonography,
	screening, including image postprocessing
	81528 - Oncology (colorectal) screening, quantitative
	real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of
	NDRG4 and BMP3) and fecal hemoglobin, utilizing stool,
	algorithm reported as a positive or negative result
	<b>82270</b> - Blood, occult, by peroxidase activity (e.g., guaiac), qualitative; feces, consecutive collected
	specimens with single determination, for colorectal
	neoplasm screening
	<b>82272</b> - Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous
	determinations, performed for other than colorectal
	neoplasm screening
	<b>82274</b> - Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous
	determinations
	88304- Level III - Surgical pathology, gross and
	microscopic examination Abortion, induced Abscess Aneurysm - arterial/ventricular Anus, tag Appendix, other
	than incidental Artery, atheromatous plaque Bartholin's
	gland cyst Bone fragment(s), other than pathologic
	fracture Bursa/synovial cyst Carpal tunnel tissue

PREVENTIVE SERVICES	
	99156 Moderate sedation services provided by a
	<ul> <li>99156 Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports: initial 15 minutes of intraservice time, patient age 5 years or older</li> <li>99157; each additional 15 minutes intraservice time (List separately in addition to code for primary service) G0104 - Colorectal cancer screening; flexible sigmoidoscopy</li> <li>G0105 - Colorectal cancer screening; colonoscopy on individual at high risk</li> <li>G0106 - Colorectal cancer screening; alternative to G0104, screening sigmoidoscopy, barium enema</li> <li>G0120 - Colorectal cancer screening; alternative to G0105, screening colonoscopy, barium enema</li> <li>G0121 - Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk</li> <li>G0122 - Colorectal cancer screening; barium enema</li> <li>G0122 - Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk</li> <li>G0122 - Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous determinations</li> <li>G0500 -Moderate sedation services provided by the same physician or other qualified health care professional performing a gastrointestinal endoscopic service that sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intra-service time; patient age 5 years or older (additional time may be reported with 99153, as appropriate)</li> <li>J2175 - Injection, meperidine HCl, per 100 mg</li> <li>J2004 - Infusion, normal saline solution, sterile (500 ml=1 unit)</li> </ul>
	<ul> <li>ICD-10 code(s):</li> <li>Z12.11 - Encounter for screening for malignant neoplasm of colon</li> <li>Z80.0 - Family history of malignant neoplasm of digestive organs</li> <li>Z83.710 - Family history of adenomatous and serrated polyps</li> <li>Z83.711 - Family history of hyperplastic colon polyps</li> <li>Z83.718 - Other family history of colon polyps</li> <li>Z83.719 - Family history of colon polyps, unspecified</li> <li>Z83.79 - Family history of other diseases of the digestive system</li> </ul>
<b>Depression Screening:</b> Adult population, including pregnant and postpartum persons	<ul> <li><u>CPT/HCPCS code(s):</u></li> <li>99385-99387 - Preventive medicine evaluation and management, new patient</li> <li>99395-99397 - Preventive medicine evaluation and management, established patient</li> <li>G0444 - Annual depression screening, 15 minutes</li> <li><u>ICD-10 code(s):</u></li> <li>Z13.31- Encounter for screening for depression</li> </ul>

Hepatitis B Virus: Persons at high risk	CPT code(s) billed with the below ICD-10 code(s):
for infection	86704 - Hepatitis B core antibody (HBcAb); total
	<b>86706</b> - Hepatitis B surface antibody (HBsAb)
	86707 - Hepatitis Be antibody (HBeAb)
	87340 – Infectious agent antigen detection by
	immunoassay technique, (eg, enzyme immunoassay
	[EIA], enzyme-linked immunosorbent assay [ELISA],
	immunochemiluminometric assay [IMCA]) qualitative or
	semi-quantitative, multi-step method; hepatitis B surface
	antigen (HBsAg)
	87341 - Infectious agent antigen detection by
	immunoassay technique, (eg, enzyme immunoassay
	[EIA], enzyme-linked immunosorbent assay [ELISA],
	fluorescence immunoassay [FIA],
	immunochemiluminometric assay [IMCA]) qualitative or
	semiquantitative; hepatitis B surface antigen (HBsAg)
	neutralization
	<b>87516</b> - Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique
	<b>87517</b> - Infectious agent detection by nucleic acid (DNA
	or RNA); hepatitis B virus, quantification
	<b>G0499</b> - Hepatitis B screening in non-pregnant, high risk
	individual includes hepatitis B surface antigen (HBSAG) followed by a neutralizing confirmatory test for initially

PREVENTIVE SERVICES	
	reactive results, and antibodies to HBSAG (anti-HBS) and hepatitis B core antigen (anti-HBC)
	<ul> <li>ICD-10 code(s):</li> <li>O09.A - O09.A3 - Supervision of pregnancy with history of molar pregnancy</li> <li>O09.00 - O09.93 - Supervision of high-risk pregnancy</li> <li>Z00.00 - Encounter for general adult medical examination without abnormal findings</li> <li>Z00.121 - Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 - Encounter for routine child health examination without abnormal findings</li> <li>Z11.3 - Encounter for screening for infections with a predominantly sexual mode of transmission</li> <li>Z11.59 - Encounter for screening for other viral diseases</li> <li>Z33.1 - Pregnant state, incidental</li> <li>Z33.3 - Pregnant state, gestational carrier</li> <li>Z34.00 - Z34.93 - Encounter for supervision of normal pregnancy</li> </ul>
Hepatitis C Virus: Adults aged 18 to 79	CPT/HCPCS code(s):
years	<ul> <li>86803 - Hepatitis C antibody</li> <li>86804 - Hepatitis C antibody; confirmatory test (eg, immunoblot)</li> <li>87520 - Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique</li> <li>87521 - Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed</li> <li>87522 - Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed</li> <li>87902 - Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus</li> <li>G0472 - Hepatitis C antibody screening for individual at high risk and other covered indication(s) 86804 - Hepatitis C antibody; confirmatory test (eg, immunoblot)</li> </ul>
<b>HIV Screening:</b> Adolescents and adults ages 15-65 or younger adolescents &	CPT/HCPCS code(s): 86689 - Antibody; HTLV or HIV antibody, confirmatory
older adults at high risk and Pregnant Women	test (e.g., Western Blot) <b>86701</b> - Antibody; HIV-1 <b>86702</b> - Antibody; HIV-2 <b>86703</b> - Antibody; HIV-1 and HIV-2, single assay <b>87390</b> - Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1 <b>87391</b> - Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-2 <b>87806</b> - Infectious agent antigen detection by immunoassay with direct optical observation; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies <b>G0432</b> - Infectious agent antibody detection by enzyme immunoassay (EIA) technique, HIV-1 and/or HIV-2, screening <b>G0433</b> - Infectious agent antibody detection by enzyme- linked immunosorbent assay (ELISA) technique, HIV-1 and/or HIV-2, screening

PREVENTIVE SERVICES	G0435 - Infectious agent antigen detection by rapid
	antibody test of oral mucosa transudate, HIV-1 or HIV-2,
	screening
	<b>G0475</b> - HIV antigen/antibody, combination assay,
	screening
	<b>S3645</b> - HIV-1 antibody testing of oral mucosal
	transudate
HIV PrEP:	<u>CPT code(s) billed with the below ICD-10 code(s):</u>
Dngoing follow-up and monitoring	82565 - Creatinine; blood
	82570 - Creatinine; other source
This includes:	82575 - Creatinine; clearance
	<b>82610 -</b> Cystatin C
HIV testing	<b>84702</b> - Gonadotropin, chorionic (hCG); quantitative
	<b>84703</b> - Gonadotropin, chorionic (hCG); qualitative
Creatinine testing and calculated	<b>81025</b> - Urine pregnancy test, by visual color compariso
estimated creatine clearance	method
(eCrCl) or glomerular filtration	87389 - Infectious agent antigen detection by
rate (eGFR)	immunoassay technique, (eg, enzyme immunoassay
<ul> <li>Pregnancy testing</li> </ul>	[EIA], enzyme-linked immunosorbent assay [ELISA],
Sexually transmitted infection	fluorescence immunoassay [FIA],
(STI) screening and counseling	immunochemiluminometric assay [IMCA]) gualitative or
Adherence counseling	semiquantitative; HIV-1 antigen(s), with HIV-1 and HIV-
<ul> <li>Office visits</li> </ul>	antibodies, single result
	87491 - Infectious agent detection by nucleic acid (DNA
	or RNA); Chlamydia trachomatis, amplified probe
	technique
	87534 - Infectious agent detection by nucleic acid (DNA
	or RNA); HIV-1, direct probe technique
	87535 - Infectious agent detection by nucleic acid (DNA
	or RNA); HIV-1, amplified probe technique, includes
	reverse transcription when performed
	87536 - Infectious agent detection by nucleic acid (DNA
	or RNA); HIV-1, quantification, includes reverse
	transcription when performed
	87537 - Infectious agent detection by nucleic acid (DNA
	or RNA); HIV-2, direct probe technique
	87538 - Infectious agent detection by nucleic acid (DNA
	or RNA); HIV-2, amplified probe technique, includes
	reverse transcription when performed
	87539 - Infectious agent detection by nucleic acid (DNA
	or RNA); HIV-2, quantification, includes reverse
	transcription when performed
	87591 - Infectious agent detection by nucleic acid (DNA
	or RNA); Neisseria gonorrhoeae, amplified probe
	technique
	<b>G0011 -</b> INDIVIDUAL COUNSELING FOR PRE-
	EXPOSURE PROPHYLAXIS (PREP) BY PHYSICIAN OR
	QUALIFIED HEALTH CARE PROFESSIONAL (QHP )TO
	PREVENT HUMAN IMMUNODEFICIENCY VIRUS (HIV),
	INCLUDES HIV RISK ASSESSMENT (INITIAL OR
	CONTINUED ASSESSMENT OF RISK), HIV RISK
	REDUCTION AND MEDICATION ADHERENCE, 15-30
	MINUTES
	<b>G0012 -</b> INJECTION OF PRE-EXPOSURE PROPHYLAXIS
	(PREP) DRUG FOR HIV PREVENTION, UNDER SKIN OR
	INTO MUSCLE
	G0013 - INDIVIDUAL COUNSELING FOR PRE-
	EXPOSURE PROPHYLAXIS (PREP) BY CLINICAL STAFF
	TO PREVENT HUMAN IMMUNODEFICIENCY VIRUS (HIV),
	INCLUDES: HIV RISK ASSESSMENT (INITIAL OR
	CONTINUED ASSESSMENT OF RISK), HIV RISK
	<b>Q0516 -</b> PHARMACY SUPPLYING FEE FOR HIV PRE-
	EXPOSURE PROPHYLAXIS FDA APPROVED
	PRESCRIPTION DRUG, PER 30-DAYS

	۱ ۱
	Q0517 - PHARMACY SUPPLYING FEE FOR HIV PRE- EXPOSURE PROPHYLAXIS FDA APPROVED PRESCRIPTION DRUG, PER 60-DAYS J0750 - EMTRICITABINE 200MG AND TENOFOVIR DISOPROXIL FUMARATE 300MG, ORAL, FDA APPROVED PRESCRIPTION, ONLY FOR USE AS HIV PRE-EXPOSURE PROPHYLAXIS (NOT FOR USE AS TREATMENT OF HIV) J0751 - EMTRICITABINE 200MG AND TENOFOVIR ALAFENAMIDE 25MG, ORAL, FDA APPROVED PRESCRIPTION, ONLY FOR USE AS HIV PRE-EXPOSURE PROPHYLAXIS (NOT FOR USE AS TREATMENT OF HIV) J0799 - FDA APPROVED PRESCRIPTION DRUG, ONLY FOR USE AS HIV PRE-EXPOSURE PROPHYLAXIS (NOT FOR USE AS TREATMENT OF HIV), NOT OTHERWISE CLASSIFIED
	ICD-10 code(s): Z11.4 - Encounter for screening for human immunodeficiency virus [HIV] Z20.6 - Contact with and (suspected) exposure to human immunodeficiency virus [HIV] Z29.81- Encounter for HIV pre-exposure prophylaxis B20 - Human immunodeficiency virus [HIV] disease
	OR
	For procedures codes not listed above, when the primary purpose of the service is the delivery of an evidence-based service in accordance with a USPSTF A or B rating in effect and other preventive services identified in preventive services mandates (legislative or regulatory), the service may be identified by adding modifier 33 to the procedure code.
Latent Tuberculosis Infection Screening: Asymptomatic adults at increased risk for infection	<b>CPT code(s) billed with the below ICD-10 code(s):</b> <b>86480 -</b> Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon <b>86481</b> - Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon-producing T-cells in cell suspension <b>86580 -</b> Skin test; tuberculosis, intradermal

PREVENTIVE SERVICES	
<b>Lipid Disorders in Adults:</b> Men ages 35 and older, Men ages 20-34 with an increased risk for coronary heart disease (CHD), Women ages 45 and older, and Women ages 20-44 with an increased risk for CHD	ICD-10 code(s): Z00.00 - Encounter for general adult medical examination without abnormal findings Z00.01 - Encounter for general adult medical examination with abnormal findings Z11.7 - Encounter for testing for latent tuberculosis infection CPT code(s) billed with the below ICD-10 code(s): 80061 - Lipid panel 82465 - Cholesterol, serum or whole blood, total 83718 - Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol) 83719 - Lipoprotein, direct measurement; VLDL cholesterol 83721 - Lipoprotein, direct measurement; LDL cholesterol 84478 - Triglycerides
	<ul> <li>ICD-10 code(s):</li> <li>Z00.00 - Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 - Encounter for general adult medical examination with abnormal findings</li> <li>Z00.121 - Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 - Encounter for routine child health examination without abnormal findings</li> <li>Z00.129 - Encounter for screening for lipoid disorders</li> </ul>

Lung Cancer Screening:	CPT/HCPCS code(s) billed with the below ICD-10
Adults ages 50 to 80 who have a 20	code(s):
pack-year smoking history and currently	<b>71271</b> * - Computed tomography, thorax, low dose for
smoke or have quit within the past 15	lung cancer screening, without contrast material(s)
years	<b>G0296</b> - Counseling visit to discuss need for lung cancer
years	screening using low dose CT scan (LDCT) (service is for
*Prior Authorization is required for those	eligibility determination and shared decision making)
indicated. Please refer to: <u>High-Tech</u>	engibility determination and shared decision making)
Imaging and Cardiac Program Prior	ICD-10 code(s):
Authorization Code Matrix	<b>F17.200</b> - Nicotine dependence, unspecified,
Authorization Code Matrix	uncomplicated
	<b>F17.201</b> - Nicotine dependence, unspecified, in remission
	<b>F17.201</b> - Nicotine dependence, cigarettes,
	uncomplicated
	<b>F17.211</b> - Nicotine dependence, cigarettes, in remission
	<b>F17.218</b> - Nicotine dependence, cigarettes, with other
	nicotine-induced disorders
	<b>F17.219</b> - Nicotine dependence, cigarettes, with
	unspecified nicotine-induced disorder
	<b>F17.220</b> - Nicotine dependence, chewing tobacco,
	uncomplicated
	<b>F17.221</b> - Nicotine dependence, chewing tobacco, in
	remission
	<b>F17.290</b> - Nicotine dependence, other tobacco product,
	uncomplicated
	<b>F17.291</b> - Nicotine dependence, other tobacco product, in
	remission
	F17.293 - Nicotine dependence, other tobacco product,
	with withdrawal
	F17.298 - Nicotine dependence, other tobacco product,
	with other nicotine-induced disorders
	F17.299 - Nicotine dependence, other tobacco product,
	with unspecified nicotine-induced disorders
	<b>Z12.2</b> - Encounter for screening for malignant neoplasm
	of respiratory organs
	<b>Z13.89</b> - Encounter for screening for other disorder (eg,
	depression)
	<b>Z13.9</b> - Encounter for screening, unspecified
	<b>Z72.0</b> - Tobacco use
	<b>Z87.891</b> - Personal history of nicotine dependence
Obesity Screening: Adults	<u>CPT code(s):</u>

PREVENTIVE SERVICES		
	Preventive medicine evaluation and management code(s): 99385–99387 - New patient 99395-99397 - Established patient	
	<ul> <li><u>CPT/ HCPCS code(s) billed with the below ICD-10</u> <u>code(s):</u></li> <li><b>97802</b> - Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes</li> <li><b>97803</b> - Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes</li> <li><b>97804</b> - Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes</li> <li><b>S9470</b> - Nutritional counseling, dietitian visit</li> </ul>	
	ICD-10 code(s): E66.01 - Morbid (severe) obesity due to excess calories E66.09 - Other obesity due to excess calories E66.1 - Drug-induced obesity E66.8 - Other obesity E66.9 - Obesity, unspecified Z00.00 - Encounter for general adult medical exam w/o abnormal findings Z00.01 - Encounter for general adult medical examination with abnormal findings Z68.30 - Body mass index [BMI] 30.0-30.9, adult Z68.31 - Body mass index [BMI] 31.0-31.9, adult Z68.32 - Body mass index [BMI] 32.0-32.9, adult Z68.33 - Body mass index [BMI] 33.0-33.9, adult Z68.34 - Body mass index [BMI] 34.0-34.9, adult Z68.35 - Body mass index [BMI] 35.0-35.9, adult Z68.36 - Body mass index [BMI] 36.0-36.9, adult Z68.37 - Body mass index [BMI] 37.0-37.9, adult Z68.38 - Body mass index [BMI] 39.0-39.9, adult Z68.39 - Body mass index [BMI] 39.0-39.9, adult Z68.39 - Body mass index [BMI] 39.0-39.9, adult Z68.34 - Body mass index [BMI] 39.0-39.9, adult Z68.35 - Body mass index [BMI] 39.0-39.9, adult Z68.36 - Body mass index [BMI] 39.0-39.9, adult Z68.37 - Body mass index [BMI] 39.0-39.9, adult Z68.41 - Body mass index [BMI] 45.0-49.9, adult Z68.42 - Body mass index [BMI] 45.0-49.9, adult Z68.43 - Body mass index [BMI] 70 or greater, adult Z68.45 - Body mass index [BMI] 70 or greater, adult	
<b>Osteoporosis Screening:</b> Postmenopausal women younger than 65 years who are at increased risk of osteoporosis or women 65 years and	<ul> <li>Z71.3 - Dietary counseling and surveillance</li> <li>Z72.4 - Inappropriate diet and eating habits</li> <li><u>CPT code(s) billed with the below ICD-10 code(s)</u>:</li> <li>76977 - Ultrasound bone density measurement and interpretation, peripheral site(s), any method</li> <li>77078 - Computed tomography, bone mineral density</li> </ul>	
older	<ul> <li>study, 1 or more sites; axial skeleton (e.g., hips, pelvis, spine)</li> <li><b>77080</b> - Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (e.g., hips, pelvis, spine)</li> <li><b>77081</b> - Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (e.g., radius, wrist, heel)</li> <li><b>77085</b> - Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment</li> <li><b>77086</b> - Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA)</li> </ul>	
	<b>G0130</b> - Single energy x-ray absorptiometry (SEXA) bone density study, one or more sites; appendicular skeleton (peripheral) (e.g., radius, wrist, heel) <b>ICD-10 code(s):</b>	
	20	

<b>Z78.0 -</b> Asymptomatic menopausal state

PREVENTIVE SERVICES	
Preeclampsia Screening:	<ul> <li>Z00.00 - Encounter for general adult medical exam w/o abnormal findings</li> <li>Z00.01 - Encounter for general adult medical examination with abnormal findings</li> <li>Z13.820 - Encounter for screening for osteoporosis</li> <li>Z82.62 - Family history of osteoporosis</li> <li>Included in outpatient maternity visit</li> </ul>
Blood pressure screening, including home monitoring devices when needed to confirm a diagnosis of hypertension before starting treatment and screening for preeclampsia in pregnant persons with blood pressure measurements throughout pregnancy	Refer to <u>Women's Health</u> section of this document
Syphilis and Gonorrhea Screening: Pregnant Women	CPT code(s) billed with the below ICD-10 code(s): 86592 - Syphilis test, non-treponemal antibody; qualitative 86593 - Syphilis test, non-treponemal antibody; quantitative 87590 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, direct probe technique 87591 - Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique 87850 - Infectious agent antigen detection by immunoassay with direct optical observation; Neisseria gonorrhoeae ICD-10 code(s): 009.A - 009.A3 -Supervision of pregnancy with history of molar pregnancy 009.00 - 009.93 - Supervision of high risk pregnancy Z33.1 - Pregnant state, incidental Z33.3 - Pregnant state, gestational carrier
Syphilis Screening: Men and Women at increased risk	<ul> <li>Z34.00 - Z34.93 - Encounter for supervision of normal pregnancy</li> <li>CPT code(s) billed with the below ICD-10 code(s):</li> <li>86592 - Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART)</li> <li>86593 - Syphilis test, non-treponemal antibody; quantitative</li> <li>ICD-10 code(s):</li> <li>Z00.00 - Encounter for general adult medical exam w/o abnormal findings</li> <li>Z00.01 - Encounter for general adult medical examination with abnormal findings</li> <li>Z01.411 - Encounter for gynecological examination (general) (routine) with abnormal findings</li> <li>Z01.419 - Encounter for gynecological examination (general) (routine) without abnormal findings</li> <li>Z11.2 - Encounter for screening for malignant neoplasm of cervix</li> <li>Z11.3 - Encounter for screening for infections with a predominantly sexual mode of transmission</li> </ul>

<b>Type 2 Diabetes Mellitus Screening:</b> Adults aged 40 to 70 years who are overweight or obese or those persons who may be at increased risk at a younger age or at a lower body mass	<ul> <li>CPT code(s) billed with the below ICD-10 code(s):</li> <li>82947 - Glucose; quantitative, blood (except reagent strip)</li> <li>82948 - Glucose; blood, reagent strip</li> <li>82951 - Glucose; tolerance test (GTT), 3 specimens (includes glucose)</li> <li>82952 - Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)</li> <li>83036 - Hemoglobin; glycosylated (A1C)</li> </ul>
	ICD-10 code(s): Z13.1 - Encounter for screening for diabetes mellitus
ROUTINE HEALTH SCREENINGS: PEDIATRIC	

PREVENTIVE SERVICES	
<b>Application of Fluoride Varnish:</b> Infants and children birth through age 5	<b><u>CPT code(s) billed with the below ICD-10 code(s):</u> <b>99188</b> - Application of topical fluoride varnish by a</b>
	physician or other qualified health care professional
	ICD-10 code(s): Z00.121 - Encounter for routine child health examination with abnormal findings Z00.129 - Encounter for routine child health examination without abnormal findings Z29.3 - Encounter for prophylactic fluoride administration
Congenital Hypothyroidism Screening: Newborns	Included in hospital charges or
	CPT(s) billed with the below ICD-10 code(s): 84437 - Thyroxine; requiring elution (eg, neonatal) 84443 - Thyroid stimulating hormone (TSH)
	ICD-10 code(s): Z00.110 - Health examination for newborn under 8 days old
	<b>Z00.111 -</b> Health examination for newborn 8 to 28 days old
	<b>Z00.121</b> - Encounter for routine child health examination with abnormal findings
	<b>Z00.129</b> - Encounter for routine child health examination without abnormal findings
	<b>Z13.0</b> - Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism
Anxiety and Depression Screening:	CPT/HCPCS code(s):
Adolescents ages 12-17	99384 – New patient 99394 – Established patient
	<b>G0444</b> - Annual depression screening, 15 minutes
	ICD-10 code(s): Z13.31- Encounter for screening for depression
	<b>Z13.39-</b> Encounter for screening examination for other mental health and behavioral disorders

Developmental/Behavioral	CPT/HCPCS code(s) billed with the below ICD-10
Assessment	code(s):
	<ul> <li>96110 - Developmental screening (eg, developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument</li> <li>96127 - Brief emotional/behavioral assessment (eg, depression inventory, attention-deficit/hyperactivity disorder [ADHD] scale), with scoring and documentation, per standardized instrument</li> </ul>
	<ul> <li>ICD-10 code(s):</li> <li>Z00.121 - Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 - Encounter for routine child health examination without abnormal findings</li> <li>Z13.30 - Encounter for screening examination for mental health and behavioral disorders, unspecified</li> <li>Z13.31 - Encounter for screening for depression</li> <li>Z13.39 - Encounter for screening examination for other mental health and behavioral disorders</li> <li>Z13.40 - Encounter for screening for unspecified developmental delays</li> <li>Z13.41 - Encounter for autism screening</li> <li>Z13.42 - Encounter for screening for global developmental delays (milestones)</li> <li>Z13.49 - Encounter for screening for other developmental delays</li> <li>Z13.89 - Encounter for screening for other disorder (eg, depression)</li> </ul>
Dyslipidemia Screening	<u>CPT code(s) billed with the below ICD-10 code(s):</u>

PREVENTIVE SERVICES	
	<ul> <li>80061 - Lipid panel</li> <li>82465 - Cholesterol, serum or whole blood, total</li> <li>83718 - Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)</li> <li>83719 - Lipoprotein, direct measurement; VLDL cholesterol</li> <li>83721 - Lipoprotein, direct measurement; LDL cholesterol</li> <li>84478 - Triglycerides</li> </ul>
Gonorrhea prophylactic medication:	ICD-10 code(s): Z00.00 - Encounter for general adult medical examination without abnormal findings Z00.01 - Encounter for general adult medical examination with abnormal findings Z13.220 - Encounter for screening for lipoid disorders Included in hospital charges
Newborns	CPT = a da(a) billed with the helew $ICP = 10 = a da(a)$
Hearing Screening	CPT code(s) billed with the below ICD-10 code(s): 92551 - Screening test, pure tone, air only 92567 - Tympanometry (impedance testing) 92588 - Evoked otoacoustic emissions, screening (qualitative measurement of distortion product or transient evoked otoacoustic emissions), automated analysis 92587 - Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the presence or absence of hearing disorder, 3-6 frequencies) or transient evoked otoacoustic emissions, with interpretation and report 92588 - Distortion product evoked otoacoustic emissions; comprehensive diagnostic evaluation (quantitative analysis of outer hair cell function by cochlear mapping, minimum of 12 frequencies), with interpretation and report 92650 - Auditory evoked potentials; screening of auditory potential with broadband stimuli, automated analysis ICD-10 code(s): Z00.110 - Health examination for newborn under 8 days old Z00.121 - Encounter for routine child health examination with abnormal findings Z00.129 - Encounter for routine child health examination without abnormal findings Z01.10 - Encounter for reamination of ears and hearing without abnormal findings Z01.118 - Encounter for hearing examination following failed hearing screening Z01.118 - Encounter for examination of ears and hearing with other abnormal findings P09.6 - Abnormal findings on neonatal screening for neonatal hearing loss
	<b>Z38.00 – Z38.8</b> - Liveborn infants according to place of birth and type of delivery
Hematocrit or Hemoglobin	CPT code(s): 85013 - Blood count; spun microhematocrit
	<ul> <li>85014 - Blood count; hematocrit</li> <li>85018 - Blood count; hemoglobin</li> <li>85025 - Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count</li> </ul>

PREVENTIVE SERVICES	
	85027 - Blood count; complete (CBC), automated (Hgb,
	Hct, RBC, WBC and platelet count)
<b>HIV Screening:</b> All sexually active pediatric patients	Refer to <u>HIV Screening</u> section of this document
Lead: Infants and children ages 0	<u>CPT code(s) billed with the below ICD-10 code(s):</u>
through age 6	83655 - Lead
	ICD-10 code(s):         Z13.88 - Encounter for screening for disorder due to exposure to contaminants
Metabolic/Hemoglobin Screening: Newborns	<ul> <li><u>CPT code(s):</u></li> <li><b>83020</b> - Hemoglobin fractionation and quantitation; electrophoresis (eg, A2, S, C, and/or F)</li> <li><b>83021</b> - Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)</li> <li><b>83030</b> - Hemoglobin; F (fetal), chemical</li> <li><b>83033</b> - Hemoglobin; F (fetal), qualitative</li> <li><b>83051</b> - Hemoglobin; plasma</li> <li><b>85013</b> - Blood count; spun microhematocrit</li> <li><b>85018</b> - Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count</li> <li><b>85660</b> - Sickling of RBC, reduction</li> <li><b>83620</b> - Newborn metabolic screening panel, includes test kit, postage and the laboratory tests specified by the state for inclusion in this panel (e.g., galactose; hemoglobin, electrophoresis; hydroxyprogesterone, 17-d; phenylamine (PKU); and thyroxine, total)</li> <li><b>200.110</b> - Health examination for newborn under 8 days old</li> <li><b>200.121</b> - Encounter for routine child health examination with abnormal findings</li> <li><b>200.129</b> - Encounter for routine child health examination without abnormal findings</li> <li><b>213.0</b> - Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving</li> </ul>
	the immune mechanism
<b>Obesity Screening:</b> Children and Adolescents ages 6-17	CPT code(s): Preventive medicine evaluation and management code(s): 99383, 99384 - New patient 99393, 99394 - Established patient
Phenylketonuria Screening: Newborns	Included in hospital charges

Sexually Transmitted Infection (STI)	CPT code(s) billed with the below ICD-10 code(s):
Screening: All sexually active pediatric	<b>86631</b> - Antibody; Chlamydia
patients	86632 - Antibody; Chlamydia, IgM
patients	<b>87081</b> - Culture, presumptive, pathogenic organisms,
	screening only;
	87110 - Culture, chlamydia, any source
	<b>87210</b> - Smear, primary source with interpretation; wet
	mount for infectious agents (eg, saline, India ink, KOH
	preps)
	<b>87270</b> - Infectious agent antigen detection by
	immunofluorescent technique; Chlamydia trachomatis
	87320 - Infectious agent antigen detection by
	immunoassay technique, (eg, enzyme immunoassay
	[EIA], enzyme-linked immunosorbent assay [ELISA],
	immunochemiluminometric assay [IMCA]) qualitative or
	semiquantitative, multiple-step method; Chlamydia
	trachomatis
	87490 - Infectious agent detection by nucleic acid (DNA
	or RNA); Chlamydia trachomatis, direct probe technique
	87491 - Infectious agent detection by nucleic acid (DNA
	or RNA); Chlamydia trachomatis, amplified probe
	technique
	87590 - Infectious agent detection by nucleic acid (DNA
	or RNA); Neisseria gonorrhoeae, direct probe technique
	87591 - Infectious agent detection by nucleic acid (DNA
	or RNA); Neisseria gonorrhoeae, amplified probe
	technique
	87800 - Infectious agent detection by nucleic acid (DNA
	or RNA), multiple organisms; direct probe(s) technique
	<b>87801</b> - Infectious agent detection by nucleic acid (DNA
	or RNA), multiple organisms; amplified probe(s) technique
	<b>87810</b> - Infectious agent antigen detection by
	immunoassay with direct optical observation; Chlamydia trachomatis
	<b>87850</b> - Infectious agent antigen detection by immunoassay with direct optical observation; Neisseria
	gonorrhoeae
	yononnoeae

PREVENTIVE SERVICES	
Screening/Risk Assessment	ICD-10 code(s): Z00.121 - Encounter for routine child health examination with abnormal findings Z00.129 - Encounter for routine child health examination without abnormal findings Z11.3 - Encounter for screening for infections with a predominantly sexual mode of transmission Z11.8 - Encounter for screening for other infectious and parasitic diseases Z11.9 - Encounter for screening for infectious and parasitic diseases, unspecified CPT code(s) billed with the below ICD-10 code(s): 96160 - Administration of patient-focused health risk assessment instrument (eg, health hazard appraisal) with scoring and documentation, per standardized instrument 96161 - Administration of caregiver-focused health risk
	assessment instrument (eg, depression inventory) for the benefit of the patient, with scoring and documentation, per standardized instrument ICD-10 code(s): Z00.110 - Health examination for newborn under 8 days old Z00.111 - Health examination for newborn 8 to 28 days old
	<ul> <li>Z00.00 - Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 - Encounter for general adult medical examination with abnormal findings</li> <li>Z00.121 - Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 - Encounter for routine child health examination without abnormal findings</li> </ul>
Syphilis Screening: Adolescents who are at increased risk for syphilis infection	<b>CPT code(s) billed with the below ICD-10 code(s):</b> <b>86592 -</b> Syphilis test, non-treponemal antibody; qualitative (e.g., VDRL, RPR, ART) <b>86593 -</b> Syphilis test, non-treponemal antibody; quantitative
	<ul> <li>ICD-10 code(s):</li> <li>Z00.121 - Encounter for routine child health examination with abnormal findings</li> <li>Z00.129 - Encounter for routine child health examination without abnormal findings</li> <li>Z11.3 - Encounter for screening for infections with a predominantly sexual mode of transmission</li> </ul>
Tuberculin Test	<b>CPT code(s):</b> <b>86480 -</b> Tuberculosis test, cell mediated immunity measurement of gamma interferon antigen response <b>86481 -</b> Tuberculosis test, cell mediated immunity antigen response measurement; enumeration of gamma interferon-producing T-cells in cell suspension <b>86580 -</b> Skin test; tuberculosis, intradermal
Visual Acuity Screening	<ul> <li><u>CPT code(s) billed with the below ICD-10 code(s):</u></li> <li>99173 - Screening test of visual acuity, quantitative, bilateral</li> <li>99174 - Instrument-based ocular screening (e.g., photoscreening, automated-refraction), bilateral</li> <li>99177 - Instrument-based ocular screening (e.g., photoscreening, automated-refraction), bilateral; with onsite analysis</li> <li>ICD-10 code(s):</li> </ul>

PREVENTIVE SERVICES	
	<b>Z00.121 -</b> Encounter for routine child health examination
	with abnormal findings
	<b>Z00.129</b> - Encounter for routine child health examination
	without abnormal findings
Visual Impairment: Children younger than 5	Preventive medicine evaluation and management code(s): 99381–99382 - New patient
PREVENTIVE IMMUNIZATIONS	<b>99391- 99392 -</b> Established patient
	of Unavailable Vaccines and Drugs. Subject to Federal Drug
Adult or Pediatric Immunizations	CPT/HCPCS code(s):
	<b>90380</b> - RESPIRATORY SYNCYTIAL VIRUS, MONOCLONAL ANTIBODY, SEASONAL DOSE; 0.5 ML DOSAGE, FOR
	INTRAMUSCULAR USE
	<b>90381</b> - RESPIRATORY SYNCYTIAL VIRUS, MONOCLONAL ANTIBODY, SEASONAL DOSE; 1 ML DOSAGE, FOR INTRAMUSCULAR USE
	<b>90581</b> - Anthrax vaccine, for subcutaneous or
	intramuscular
	90585 - Bacillus Calmette-Guerin vaccine (BCG) for
	tuberculosis, live, for percutaneous use
	<b>90586</b> - Bacillus Calmette-Guerin vaccine (BCG) for bladder cancer, live, for intravesical use
	90589 - CHIKUNGUNYA VIRUS VACCINE, LIVE
	ATTENUATED, FOR INTRAMUSCULAR USE
	90611- SMALLPOX AND MONKEYPOX VACCINE,
	ATTENUATED VACCINIA VIRUS, LIVE, NON-
	REPLICATING, PRESERVATIVE FREE, 0.5 ML DOSAGE, SUSPENSION, FOR SUBCUTANEOUS USE
	<b>90619</b> - Meningococcal conjugate vaccine, serogroups A,
	C, W, Y, quadrivalent, tetanus toxoid carrier (MenACWY-
	TT), for intramuscular use
	<b>90620</b> - Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B (MenB-4C), 2
	dose schedule, for intramuscular use <b>90621</b> - Meningococcal recombinant lipoprotein vaccine,
	serogroup B (MenB-FHbp), 2 or 3 dose schedule, for
	intramuscular use
	<b>90622</b> -VACCINIA (SMALLPOX) VIRUS VACCINE, LIVE, LYOPHILIZED, 0.3 ML DOSAGE, FOR PERCUTANEOUS
	USE 90623 - MENINGOCOCCAL PENTAVALENT VACCINE,
	CONJUGATED MEN A, C, W, Y-TETANUS TOXOID
	CARRIER, AND MEN B-FHBP, FOR INTRAMUSCULAR USE <b>90630</b> - Influenza virus vaccine, quadrivalent (IIV4), split
	virus, preservative free, for intradermal use
	90649* - Human Papillomavirus vaccine, types 6, 11, 16,
	18, quadrivalent (4vHPV), 3 dose schedule, for
	intramuscular use (*Covered for Ages 9-26)
	<b>90650*-</b> Human Papillomavirus vaccine, types 16, 18, bivalent (2vHPV), 3 dose schedule, for intramuscular use
	(*Covered for Ages 9-26) 90651*- Human Papillomavirus vaccine types 6, 11, 16,
	18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 2 or 3 dose
	schedule, for intramuscular use (*Covered for Ages 9-
	45) 90653 - Influenza vaccine, inactivated (IIV), subunit,
	adjuvanted, for intramuscular use
	<b>90654</b> - Influenza virus vaccine, split virus, preservative- free, for intradermal use
	<b>90656 -</b> Influenza virus vaccine, trivalent (IIV3), split
	virus, preservative free, 0.5 mL dosage, for intramuscular use
	<b>90658 -</b> Influenza virus vaccine, trivalent (IIV3), split
	virus, when administered to individuals 3 years of age and

older, for intramuscular use
<b>90661</b> - Influenza virus vaccine, trivalent (ccIIV3),
derived from cell cultures, subunit, preservative and
antibiotic free, 0.5 mL dosage, for intramuscular use
<b>90662</b> - Influenza virus vaccine (IIV), split virus,
preservative free, enhanced immunogenicity via increased
antigen content, for intramuscular use
<b>90670</b> - Pneumococcal conjugate vaccine, 13 valent
(PCV13), for intramuscular use
<b>90672</b> - Influenza virus vaccine, quadrivalent, live
(LAIV4), for intranasal use
<b>90673</b> - Influenza virus vaccine, trivalent (RIV3), derived
from recombinant DNA, hemagglutinin (HA) protein only,
preservative and antibiotic free, for intramuscular use
<b>90674</b> - Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and
antibiotic free, 0.5 mL dosage, for intramuscular use
<b>90675</b> - Rabies vaccine, for intramuscular use
<b>90676</b> - Rabies vaccine, for intradermal use
<b>90678-</b> Respiratory syncytial virus vaccine, preF, subunit,
bivalent, for intramuscular use
<b>90679-</b> Respiratory syncytial virus vaccine, preF,
recombinant, subunit, adjuvanted, for intramuscular use
90680 – Rotavirus vaccine, pentavalent (RV5), 3 dose
schedule, live, for oral use
90681 - Rotavirus vaccine, human, attenuated (RV1), 2
dose schedule, live, for oral use
90682 - Influenza virus vaccine, quadrivalent (RIV4),
derived from recombinant DNA, hemagglutinin (HA)
protein only, preservative and antibiotic free, for
intramuscular use
<b>90686 -</b> Influenza virus vaccine, quadrivalent (IIV4), split
virus, preservative free, 0.5 mL dosage, for intramuscular
use
<b>90688 -</b> Influenza virus vaccine, quadrivalent (IIV4), split
virus, 0.5 mL dosage, for intramuscular use
<b>90689</b> - Influenza virus vaccine quadrivalent (IIV4),
inactivated, adjuvanted, preservative free, 0.25 mL
dosage, for intramuscular use <b>90690 -</b> Typhoid vaccine, live, oral
<b>90691</b> - Typhoid vaccine, Ne, oral <b>90691</b> - Typhoid vaccine, Vi capsular polysaccharide
(ViCPs), for intramuscular use
<b>90694</b> - Influenza virus vaccine, quadrivalent (aIIV4),
inactivated, adjuvanted, preservative free, 0.5 mL dosage,
for intramuscular use

PREVENTIVE SERVICES	
	<b>90697 -</b> Diphtheria, tetanus toxoids, acellular pertussis
	vaccine, inactivated poliovirus vaccine, Haemophilus
	influenzae type b PRP-OMP conjugate vaccine, and hepatitis
	B vaccine (DTaP-IPV-Hib-HepB), for intramuscular use <b>90698 -</b> Diphtheria, tetanus toxoids, acellular pertussis
	vaccine, Haemophilus influenzae type b, and inactivated
	poliovirus vaccine, (DTaP-IPV/Hib), for intramuscular use
	<b>90707</b> - Measles, mumps and rubella virus vaccine
	(MMR), live, for subcutaneous use
	<b>90710</b> - Measles, mumps, rubella, and varicella vaccine
	(MMRV), live, for subcutaneous use
	90714 - Tetanus and diphtheria toxoids adsorbed (Td),
	preservative free, when administered to individuals 7
	years or older, for intramuscular use
	<b>90715</b> - Tetanus, diphtheria toxoids and acellular
	pertussis vaccine (Tdap), when administered to individuals
	7 years or older, for intramuscular use 90716 - Varicella virus vaccine (VAR), live, for
	subcutaneous use
	<b>90717</b> – Yellow fever vaccine, live, for subcutaneous use
	<b>90718</b> - Tetanus and diphtheria toxoids (Td) adsorbed
	when administered to individuals 7 years or older, for
	intramuscular use
	90723 - Diphtheria, tetanus toxoids, acellular pertussis
	vaccine, Hepatitis B, and poliovirus vaccine, inactivated
	(DTaP-HepB-IPV), for intramuscular use
	<b>90732 -</b> Pneumococcal polysaccharide vaccine, 23-valent
	(PPSV23), adult or immunosuppressed patient dosage,
	when administered to individuals 2 years or older, for
	subcutaneous or intramuscular use
	<b>90733</b> - Meningococcal polysaccharide vaccine, serogroups A, C, Y, W-135, quadrivalent (MPSV4), for
	subcutaneous use
	<b>90734</b> - Meningococcal conjugate vaccine, serogroups A,
	C, Y and W-135, quadrivalent (MCV4 or MenACWY), for
	intramuscular use
	90738 - Japanese encephalitis virus vaccine, inactivated,
	for intramuscular use
	90740 - Hepatitis B vaccine (HepB), dialysis or
	immunosuppressed patient dosage, 3 dose schedule, for
	intramuscular use
	<b>90747</b> - Hepatitis B vaccine (HepB), dialysis or
	immunosuppressed patient dosage, 4 dose schedule, for intramuscular use
	<b>90748</b> - Hepatitis B and Haemophilus influenzae type b
	vaccine (Hib-HepB), for intramuscular use
	<b>90756</b> - Influenza virus vaccine, quadrivalent (ccIIV4),
	derived from cell cultures, subunit, antibiotic free, 0.5mL
	dosage, for intramuscular use
	Q2035 - Influenza virus vaccine, split virus, when
	administered to individuals 3 years of age and older, for
	intramuscular use (AFLURIA)
	<b>Q2036 -</b> Influenza virus vaccine, split virus, when
	administered to individuals 3 years of age and older, for
	intramuscular use (FLULAVAL)
	<b>Q2037</b> - Influenza virus vaccine, split virus, when
	administered to individuals 3 years of age and older, for intramuscular use (FLUVIRIN)
	<b>Q2038 -</b> Influenza virus vaccine, split virus, when
	administered to individuals 3 years of age and older, for
	intramuscular use (Fluzone)
	<b>Q2039 -</b> Influenza virus vaccine, split virus, when
	administered to individuals 3 years of age and older, for
	intramuscular use (not otherwise specified)

PREVENTIVE SERVICES	
Adult Immunizations	<u>CPT code(s):</u>
	<b>90625 -</b> Cholera vaccine, live, adult dosage, 1 dose
	schedule, for oral use
	90632 - Hepatitis A vaccine (HepA), adult dosage, for
	intramuscular use
	<b>90636 -</b> Hepatitis A and hepatitis B vaccine (HepA-HepB),
	adult dosage, for intramuscular use
	<b>90671</b> - Pneumococcal conjugate vaccine, 15 valent (PCV15), for intramuscular use
	<b>90677</b> - Pneumococcal conjugate vaccine, 20 valent
	(PCV20), for intramuscular use
	90736 - Zoster (shingles) vaccine (HZV), live, for
	subcutaneous injection
	<b>90739 -</b> Hepatitis B vaccine (HepB), adult dosage, 2 dose
	schedule, for intramuscular use <b>90746 -</b> Hepatitis B vaccine (HepB), adult dosage, 3 dose
	schedule, for intramuscular use
	<b>90750</b> - Zoster (shingles) vaccine (HZV), recombinant,
	sub-unit, adjuvanted, for intramuscular injection
Pediatric Immunizations	CPT code(s):
	<b>90633 -</b> Hepatitis A vaccine (HepA), pediatric/adolescent
	dosage-2 dose schedule, for intramuscular use <b>90634</b> - Hepatitis A vaccine (HepA), pediatric/adolescent
	dosage-3 dose schedule, for intramuscular use
	<b>90644</b> - Meningococcal conjugate vaccine, serogroups C &
	Y and Haemophilus influenzae type b vaccine (Hib-
	MenCY), 4 dose schedule, when administered to children 6
	weeks-18 months of age, for intramuscular use
	<b>90648</b> - Haemophilus influenzae type b vaccine (Hib), PRP-T conjugate, 4 dose schedule, for intramuscular use
	<b>90655</b> - Influenza virus vaccine, trivalent (IIV3), split
	virus, preservative free, 0.25 mL dosage, for
	intramuscular use
	<b>90657 -</b> Influenza virus vaccine, trivalent (IIV3), split
	virus, 0.25 mL dosage, for intramuscular use
	<b>90685</b> - Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL, for intramuscular use
1	virus, preservative free, 0.25 fill, for intramuscular use

PREVENTIVE SERVICES	
	90687 - Influenza virus vaccine, quadrivalent (IIV4), split
	virus, 0.25 mL dosage, for intramuscular use
	<b>90696</b> - Diphtheria, tetanus toxoids, acellular pertussis
	vaccine and inactivated poliovirus vaccine (DTaP-IPV),
	when administered to children 4 through 6 years of age,
	for intramuscular use
	<b>90700 -</b> Diphtheria, tetanus toxoids, and acellular
	pertussis vaccine (DTaP), when administered to individuals
	younger than 7 years, for intramuscular use <b>90702</b> - Diphtheria and tetanus toxoids adsorbed (DT)
	when administered to individuals younger than 7 years,
	for intramuscular use
	<b>90713 -</b> Poliovirus vaccine, inactivated (IPV), for
	subcutaneous or intramuscular use
	<b>90743</b> - Hepatitis B vaccine (HepB), adolescent, 2 dose
	schedule, for intramuscular use
	<b>90744</b> - Hepatitis B vaccine (HepB), pediatric/adolescent
	dosage, 3 dose schedule, for intramuscular use
Coronavirus [COVID-19]	90480- Immunization administration by
Immunizations, Monoclonal	intramuscular injection of severe acute respiratory
Antibodies and Self-administered	syndrome coronavirus 2 (SARS-CoV-2) (coronavirus
Tests	disease [COVID-19]) vaccine, single dose
*Coverage and availability subject to	<b>91318-</b> Severe acute respiratory syndrome
Federal Drug Administration (FDA)	coronavirus 2 (SARS-CoV-2) (coronavirus disease
licensed indications, FDA approval and CDC guidance. For additional	[COVID-19]) vaccine, mRNA-LNP, spike protein, 3 mcg/0.3 mL dosage, tris-sucrose formulation, for
information, see <u>COVID-19 Updates</u>	intramuscular use
available on our website.	<b>91319-</b> Severe acute respiratory syndrome
available off our website.	coronavirus 2 (SARS-CoV-2) (coronavirus disease
	[COVID-19]) vaccine, mRNA-LNP, spike protein, 10
	mcg/0.3 mL dosage, tris-sucrose formulation, for
	intramuscular use
	91320- Severe acute respiratory syndrome
	coronavirus 2 (SARS-CoV-2) (coronavirus disease
	[COVID-19]) vaccine, mRNA-LNP, spike protein, 30
	mcg/0.3 mL dosage, tris-sucrose formulation, for
	intramuscular use
	<b>91321-</b> Severe acute respiratory syndrome
	coronavirus 2 (SARS-CoV-2) (coronavirus disease
	[COVID-19]) vaccine, mRNA-LNP, 25 mcg/0.25 mL
	dosage, for intramuscular use <b>91322-</b> Severe acute respiratory syndrome
	coronavirus 2 (SARS-CoV-2) (coronavirus disease
	[COVID-19]) vaccine, mRNA-LNP, 50 mcg/0.5 mL
	dosage, for intramuscular use
	<b>M0224</b> - Intravenous infusion, pemivibart, for the
	pre-exposure prophylaxis only, for certain adults
	and adolescents (12 years of age and older weighing
	at least 40 kg) with no known SARS-CoV-2
	exposure, who either have moderate-to-severe
	immune compromise due to a medical condition or
	receipt of immunosuppressive medications or
	treatments, includes infusion and post
	administration monitoring
	<b>Q0224</b> - Injection, pemivibart, for the pre-exposure
	prophylaxis only, for certain adults and adolescents
	(12 years of age and older weighing at least 40 kg)
	with no known SARS-CoV-2 exposure, and who
	either have moderate-to-severe immune
	compromise due to a medical condition or receipt of immunosuppressive medications or treatments, and
	are unlikely to mount an adequate immune
	response to COVID-19 vaccination, 4500 mg
	34

PREVENTIVE SERVICES	
PREVENTIVE COUNSELING SERVICES	
Alcohol Misuse Counseling	CPT/HCPCS code(s) billed with the below ICD-10
	<u>code(s):</u>
	99408 - Alcohol and/or substance (other than tobacco)
	abuse structured screening (e.g., AUDIT, DAST), and brief
	intervention (SBI) services; 15 to 30 minutes
	<b>99409</b> - Alcohol and/or substance (other than tobacco)
	abuse structured screening (e.g., AUDIT, DAST), and brief
	intervention (SBI) services; greater than 30 minutes
	<b>G0442</b> - Annual alcohol misuse screening, 15 minutes
	<b>G0443</b> - Brief face-to-face behavioral counseling for
	alcohol misuse, 15 minutes
	ICD-10 code(s):
	<b>Z00.00</b> - Encounter for general adult medical exam w/o
	abnormal findings
	<b>Z00.01</b> - Encounter for general adult medical examination
	with abnormal findings
	<b>Z13.89</b> - Encounter for screening for other disorder (eg,
	depression)

PREVENTIVE SERVICES	
Healthy Diet Counseling: Adults with	CPT/HCPCS code(s):
hyperlipidemia and other risk factors for	99078 - Physician educational services rendered to
cardiovascular disease and diet-related	patients in a group setting (e.g., prenatal, obesity, or
chronic disease	diabetic instructions)
	99401 - Preventive medicine counseling and/or risk factor
Obesity Counseling	reduction intervention(s) provided to an individual
Prenatal Counseling	(separate procedure); approximately 15 minutes 99402 - Preventive medicine counseling and/or risk factor
Sexually Transmitted	reduction intervention(s) provided to an individual
Infections/HIV Counseling: Sexually	(separate procedure); approximately 30 minutes
Active Adolescents and Adults at	99403 - Preventive medicine counseling and/or risk factor
increased risk	reduction intervention(s) provided to an individual
	(separate procedure); approximately 45 minutes
Tobacco Use Counseling and	99404 - Preventive medicine counseling and/or risk factor
<b>Intervention</b> : Children, Adolescents	reduction intervention(s) provided to an individual
and Adults including Pregnant Women	(separate procedure); approximately 60 minutes
and Addits including incention women	<b>99406</b> - Smoking and tobacco use cessation counseling
	visit; intermediate, greater than 3 minutes up to 10
	minutes
	<b>99407</b> - Smoking and tobacco use cessation counseling
	visit; intensive, greater than 10 minutes
	<b>99411</b> - Preventive medicine counseling and/or risk factor
	reduction intervention(s) provided to individuals in a group
	setting (separate procedure); approximately 30 minutes
	<b>99412</b> Preventive medicine counseling and/or risk factor
	reduction intervention(s) provided to individuals in a group
	setting (separate procedure); approximately 60 minutes
	<b>G0445</b> - High intensity behavioral counseling to prevent
	sexually transmitted infection; face-to-face, individual,
	includes: education, skills training and guidance on how to
	change sexual behavior; performed semi-annually, 30
	minutes
	<b>G0446</b> - Intensive behavioral therapy to reduce
	cardiovascular disease risk, individual, face-to-face,
	annual, 15 minutes
	<b>G0447</b> - Face-to-face behavioral counseling for obesity,
	15 minutes
	<b>G0473</b> - Face-to-face behavioral counseling for obesity,
	group (2-10), 30 minutes
	<b>S9453</b> - Smoking cessation classes, non-physician provider, per session
	Preventive medicine evaluation and management code(s):
	<b>99383 - 99387 -</b> New patient
	99393 - 99397 - Established patient
Weight Loss Behavioral	Included in Preventive Office Visit
<b>Intervention:</b> Offer or refer adults with	
a body mass index (BMI) of 30 or higher	
to intensive, multicomponent behavioral	
interventions	
BRCA Genetic Counseling	CPT code(s) billed with the below ICD-10 code(s):
	96040 - Medical genetics and genetic counseling services,
	each 30 minutes face-to-face with patient/family
	<b>S0265</b> - Genetic counseling, under physician supervision,
	each 15 minutes
	ICD-10 code(s):
	<b>Z15.01</b> - Genetic susceptibility to malignant neoplasm of
	Dreast
	breast <b>Z15.02 -</b> Genetic susceptibility to malignant neoplasm of
	<b>Z15.02</b> - Genetic susceptibility to malignant neoplasm of
	<b>Z15.02</b> - Genetic susceptibility to malignant neoplasm of ovary
	<ul> <li>Z15.02 - Genetic susceptibility to malignant neoplasm of ovary</li> <li>Z80.0 - Family history of malignant neoplasm of digestive</li> </ul>
	<b>Z15.02</b> - Genetic susceptibility to malignant neoplasm of ovary

PREVENTIVE SERVICES	
	<ul> <li>including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically, 20 minutes are spent face-to-face with the patient and/or family.</li> <li>97750 - Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes</li> <li>G0151 - Services of physical therapist in home health setting, each 15 minutes</li> <li>G0157 - Services performed by a qualified physical therapist assistant in the home health or hospice setting, each 15 minutes</li> <li>G0159 - Services performed by a qualified physical therapist, in the home health setting, in the establishment or delivery of a safe and effective physical therapy maintenance program, each 15 minutes</li> <li>S8990 - Physical or manipulative therapy performed for maintenance rather than restoration</li> <li>S9131 - Physical therapy; in the home, per diem</li> </ul>
	ICD-10 code(s): R26.81 - Unsteadiness on feet R54 - Age-related physical debility Z91.81 - History of falling
Skin Cancer Behavioral Counseling: Young adults, adolescents, children, and parents of young children	Included in <u>Preventive Office Visit</u>
WOMEN'S HEALTH Outpatient Maternity Services:	<u>CPT code(s):</u>
<ul> <li>Blood pressure screening, including home monitoring devices when needed to confirm a diagnosis of hypertension before starting treatment and screening for preeclampsia in pregnant persons with blood pressure measurements throughout pregnancy</li> <li>All outpatient routine prenatal and postpartum office visits will be covered in full. Any outpatient maternity services not considered routine or those related to complications or risks with a pregnancy, may be subject to cost sharing based on the member's plan. Some examples of services not considered routine include, but are not limited to, amniocentesis, fetal stress testing, and OB ultrasounds.</li> <li>Note: This does not include inpatient maternity services which may be subject to cost share based on member's plan design.</li> </ul>	<ul> <li>59400 - Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care</li> <li>59410 - Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care</li> <li>59425 - Antepartum care only; 4-6 visits</li> <li>59426 - Antepartum care only; 7 or more visits</li> <li>59430 - Postpartum care only (separate procedure)</li> <li>59510 - Routine obstetric care including antepartum care, cesarean delivery, and postpartum care</li> <li>59515 - Cesarean delivery only; including postpartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery</li> <li>59614 - Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care</li> <li>59618 - Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery</li> <li>59612 - Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery</li> </ul>
Breastfeeding support, education, equipment, supplies and counseling for pregnant and postpartum women	CPT/HCPCS code(s): A4281 - Tubing for breast pump, replacement A4282 - Adapter for breast pump, replacement A4283 - Cap for breast pump bottle, replacement A4284 - Breast shield and splash protector for use with breast pump, replacement

PREVENTIVE SERVICES	
PREVENTIVE SERVICES Contraception: Surgical Procedures *Ancillary services performed in conjunction with surgical procedure are considered preventive when appropriate	<ul> <li>A4285 - Polycarbonate bottle for use with breast pump, replacement</li> <li>A4287 - DISPOSABLE COLLECTION AND STORAGE BAG FOR BREAST MILK, ANY SIZE, ANY TYPE, EACH</li> <li>A4286 - Locking ring for breast pump, replacement</li> <li>E0602 - Breast pump, manual, any type</li> <li>E0603 - Breast pump, lectric (AC and/or DC), any type</li> <li>E0604 - Breast pump, hospital grade, electric (AC and/or DC), any type</li> <li>S9443 - Lactation classes, nonphysician provider, per session</li> <li>99502 - Home visit for newborn care and assessment</li> <li>CPT/HCPCS code(s) billed with the below ICD-10 code(s):</li> <li>00851 - Anesthesia for intraperitoneal procedures in lower abdomen including laparoscopy; tubal ligation/transection</li> <li>00952 - Anesthesia for vaginal procedures; hysteroscopy and/or hysteroscapy, surgical; with bilateral fallopian tube cannulation to induce occlusion by placement of permanent implants</li> <li>S8605 - Ligation or transection of fallopian tube(s), abdominal or vaginal approach, unilateral or bilateral</li> <li>S8605 - Ligation or transection of fallopian tube(s), abdominal or vaginal approach, postpartum, unilateral or bilateral, during same hospitalization</li> <li>S8611 - Ligation or transection of fallopian tube(s), abdominal or vaginal approach, postpartum, unilateral or bilateral, during same hospitalization</li> <li>S8615 - Occlusion of fallopian tube(s) by device (e.g., band, clip, Falope ring) vaginal or suprapubic approach S8611 - Laparoscopy, surgical; with removal of adnexal structures (partial or total oophorectomy and/or salpingectomy)</li> <li>S8770 - Laparoscopy, surgical; with fulguration of oviducts (with or without transection)</li> <li>S8671 - Laparoscopy, surgical; with fulguration of oviducts (with or without transection)</li> <li>S8701 - Laparoscopy, surgical; with occlusion of oviducts by device (e.g., band, clip, or Falope ring)</li> <li>S8700 - Salpingectomy, complete or partial, unilateral or bilateral (separate procedure)</li> <li>S47135 - Injecti</li></ul>
	<ul> <li>salpingectomy)</li> <li>58670 - Laparoscopy, surgical; with fulguration of oviducts (with or without transection)</li> <li>58671 - Laparoscopy, surgical; with occlusion of oviducts by device (e.g., band, clip, or Falope ring)</li> <li>58700 - Salpingectomy, complete or partial, unilateral or bilateral (separate procedure)</li> <li>64435 - Injection(s), anesthetic agent(s) and/or steroid; paracervical (uterine) nerve</li> <li>88302 - Level II - Surgical pathology, gross and microscopic examination Appendix, incidental, Fallopian tube, sterilization</li> <li>99144 - Moderate sedation age 5 years or older, first 30 minutes intra-service time (when billed with CPT codes 00952 or 58555)</li> <li>99145 - Moderate sedation each additional 15 minutes intra-service time (when billed with CPT codes 00952 or 58555)</li> </ul>
	<ul> <li>A4264 - Permanent implantable contraceptive intratubal occlusion device(s) and delivery system</li> <li><u>ICD-10 code(s):</u></li> <li>Z30.2 - Encounter for sterilization</li> </ul>
<b>Contraception and Contraceptive</b> <b>Counseling:</b> FDA-approved over-the- counter female contraceptives are considered preventive when prescribed by a licensed provider and dispensed at a pharmacy pursuant to a prescription.	CPT/HCPCS code(s): 11976 - Removal, Implantable contraceptive capsules 57170 - Diaphragm & cervical cap fitting 58300 - Insertion of IUD 58301 - Removal of IUD A4261 - Cervical cap for contraceptive use A4266* - Diaphragm for contraceptive use A4268* - Contraceptive supply, condom, female, each

Ella® and generics of Plan B® and Plan B One-Step® are considered preventive	<ul> <li>4269* - Contraceptive supply, spermicide (e.g., foam, el), each</li> <li>L050 - Injection, medroxyprogesterone acetate, 1 mg</li> <li>Depo-Provera)</li> <li>7296 - Levonorgestrel-releasing intrauterine</li> <li>Dontraceptive system, (Kyleena), 19.5 mg</li> <li>7297 - Levonorgestrel-releasing intrauterine</li> <li>Dontraceptive system, 52mg (Liletta)</li> <li>7298 - Levonorgestrel-releasing intrauterine</li> <li>Dontraceptive system, 52 mg (Mirena)</li> <li>7300 - Intrauterine Copper Contraceptive</li> <li>7301 - Levonorgestrel-releasing intrauterine</li> <li>Dontraceptive system, 52 mg (Mirena)</li> <li>7300 - Intrauterine Copper Contraceptive</li> <li>7301 - Levonorgestrel-releasing intrauterine</li> <li>Dontraceptive system (Skyla), 13.5 mg</li> <li>7294*- Segesterone acetate and ethinyl estradiol 0.15</li> <li>g, 0.013 mg per 24 hours; yearly vaginal system, each</li> <li>7307 - Etonogestrel (contraceptive) implant system, cluding implant and supplies</li> <li>PT code(s) billed with the below ICD-10</li> <li>Dode(s): 11981 - Insertion, non-biodegradable drug</li> <li>elivery implant</li> <li>1982 - Removal, non-biodegradable drug delivery</li> <li>nplant</li> <li>1983 - Removal with reinsertion, non-biodegradable</li> <li>rug delivery implant</li> <li>6372 - Therapeutic, prophylactic, or diagnostic injection specify substance or drug); subcutaneous or tramuscular</li> <li>9211 - Office or other outpatient visit for the evaluation and management of an established patient, that may not equire the presence of a physician. Usually, the</li> <li>resenting problem(s) are minimal. Typically, 5 minutes</li> </ul>
n o tt Z c Z c C Z C C	<b>9212</b> - Office or other outpatient visit for the evaluation and management of an established patient, which requires is least 2 of these 3 key components: A problem focused story; A problem focused examination; Straightforward edical decision making. Counseling and/or coordination for are with other physicians, other qualified health care rofessionals, or agencies are provided consistent with the ature of the problem(s) and the patient's and/or family's eeds. Usually, the presenting problem(s) are self limited minor. Typically, 10 minutes are spent face-to-face with the patient and/or family <b>CD-10 code(s):</b> <b>30.013 – Z30.019</b> - Encounter for initial prescription of ontraceptives <b>30.40 – Z30.9</b> - Encounter for surveillance of ontraceptives or Encounter for contraceptive
m	ontraceptives or Encounter for contraceptive anagement <b>97.5</b> Presence of (intrauterine) contraceptive device
Screening for Diabetes During Pregnancy	creening for domestic violence is included in a preventive are wellness examination. Refer to <u>Preventive Office Visit</u> ection of this document. <b>PT code(s) billed with the below ICD-10 code(s):</b> <b>2950</b> - Glucose; post glucose dose (includes glucose)

PREVENTIVE SERVICES		
	<b>82952</b> - Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	
	ICD-10 code(s): O09.A - O09.A3 - Supervision of pregnancy with history of molar pregnancy O09.00 - O09.93 - Supervision of high-risk pregnancy Z33.1 - Pregnant state, incidental Z33.3 - Pregnant state, gestational carrier Z34.00 - Z34.93 - Encounter for supervision of normal pregnancy	
HIV Screening and Counseling	Refer to the <u>HIV Screening</u> & <u>HIV Counseling</u> section(s) of this document	
HPV DNA Testing for Women ages 30 or older	<ul> <li>CPT/HCPCS code(s):</li> <li>O500T - Infectious agent detection by nucleic acid (DNA or RNA), human papillomavirus (HPV) for five or more separately reported high-risk HPV types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) (ie, genotyping)</li> <li>87624 - Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)</li> <li>87625 - Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed</li> <li>G0476 - Infectious agent detection by nucleic acid (DNA or RNA); human papillomavirus HPV), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)</li> <li>for cervical cancer screening, must be performed in addition to pap test</li> </ul>	
Sexually Transmitted Infections (STI) Screening and Counseling	Refer STI related Screenings - <u>Chlamydia and Gonorrhea</u> , <u>Hepatitis B</u> , <u>Hepatitis C</u> , <u>HIV Screening</u> , <u>Syphilis</u> and <u>STI</u> <u>Counseling</u> section(s) of this document	
Well-Woman Visit	Refer to the <u>Preventive Office Visit</u> section of this document	

### PHARMACY

## U.S. Preventive Services Task Force A & B Recommendation Medications

Tufts Health Plan has included certain categories of medications in the preventive services coverage based on recommendations from the U.S. Preventive Services Task Force and the Institute of Medicine. These preventive medications are covered under the Patient Protection and Affordable Care Act at no cost (\$0 copayment) to Members when prescribed by a licensed provider and filled at a network pharmacy. Coverage limitations such as age and rules apply. See Special Coverage Considerations for details below. This coverage does not apply to members of "grandfathered" plans.

**Note**: Preventive over-the-counter (OTC) medications that are listed in the table below are covered in full when prescribed by a licensed Provider and dispensed at a pharmacy pursuant to a prescription.

Medication	Applies To	Special Coverage Considerations
Aspirin 81 mg	OTC Generics Only	Covered in full for women of childbearing age (12 – 52 years)
Bowel preparations: <b>Generics</b> : polyethylene glycol- electrolyte	Rx Generics	Covered in full for bowel preparations for Members age 45 through 75 years old
Fluoride drops & tablets	Rx Generics	Covered in full for children age 6 months through age 16
Folic acid 0.4 mg, 0.8 mg, 1mg	OTC and Rx Generic Only	Covered in full for persons of childbearing age
Iron liquid supplements	OTC Brands and Generics	Covered in full for children up to 12 months of age

Medication	Applies To	Special Coverage Considerations
Low to moderate dosed statins: atorvastatin 10 mg, 20 mg, fluvastatin 20 mg, 40 mg, fluvastatin er 80 mg, lovastatin 10 mg, 20 mg, 40 mg, pravastatin 10 mg, 20 mg, 40 mg, 80 mg, rosuvastatin 5 mg, 10 mg, simvastatin 5 mg, 10 mg, 20 mg, 40 mg	Generics only	Covered in full for adults aged 40 to 75 years with no history of CVD, 1 or more CVD risk factors, and a calculated 10-year CVD event risk of 10% or greater
Preventive medications for the risk reduction of primary breast cancer in women: raloxifene, tamoxifen, anastrozole, exemestane	Rx Brands and Generics	Covered in full for women
Smoking Cessation products: bupropion extended release (SR) 150 mg tablets, Chantix, nicotine gum, patch, lozenges, Nicotrol Inhaler, Nicotrol Nasal Spray	Rx single-source Brands and Generics; OTC Generics Only	Covered in full
HIV pre-exposure prophylaxis (PrEP): emtricitabine-tenofovir disoproxil fumarate (generic for Truvada), Descovy (emtricitabine/tenofovir alafenamide)	Rx Brands* and Generics *Brand-name medications are covered in full until a generic is available	Covered in full when used for pre-exposure prophylaxis, includes pre-prescription consultation, ongoing follow-up and monitoring services, including office visits and testing when not billed separately. See <u>HIV PrEP</u> section for applicable codes. Coverage of Descovy is subject to prior authorization.

## FDA-Approved Over-the-Counter (OTC) Contraceptives for Women

These preventive medications are covered under the Patient Protection and Affordable Care Act at no cost (\$0 copayment) to female Members when prescribed by a licensed Provider and dispensed at a network pharmacy pursuant to a prescription. This coverage does not apply to members of "grandfathered" plans, and certain religious group employers are exempt from the requirement to cover contraceptive services.

Contraceptive films
Contraceptive foams
Contraceptive gels
Emergency contraceptives
Female condoms

### **Prescription Contraceptives for Women**

Contraceptives, including oral contraceptives, diaphragms, and other self administered hormonal contraceptives (e.g., patches, rings) that by law require a prescription are covered in full under the Pharmacy Benefit (\$0 copayment). Brand name oral and self-administered hormonal contraceptives with available generic are subject to prior authorization.

Contraceptives that are administered by a health care professional, including cervical caps, IUDs and implantable contraceptives that by law require a prescription are covered in full for women under the Medical Benefit. For additional information, see the Women's Health section of this Preventive Services Payment Policy.

This coverage does not apply to members of "grandfathered" plans, and certain religious group employers are exempt from the requirement to cover contraceptive services.

**Note**: Male contraceptives are not covered under the Patient Protection and Affordable Care Act.

## **DOCUMENT HISTORY**

- Dates prior to 2018: Changes archived
- January 19, 2018: Added diagnosis code Z00.121 to the following sections Venipuncture, STI screening for pediatrics, Visual Acuity screening, Hepatitis B screening, Hearing Screening and Developmental/Behavioral Screening for pediatrics. Added diagnosis code Z13.89 to Developmental/Behavioral Screening for pediatrics and removed diagnosis code Z01.10 from Hearing screening section. Added CPT code 86900 to Rh (D) Blood Typing section.
- April 26, 2018: Updated language in Skin Cancer Behavioral Counseling section.
- July 11, 2018: Formatting updates. Removed diagnosis requirement for certain CPT/HCPCS codes in Contraception and Contraceptive Counseling section.
- August 1, 2018: Formatting update.
- August 31, 2018: Added CPT code 90672 to adult and pediatric immunization section. Updated age for osteoporosis screening based on new USPSTF recommendation. For effective date 9/1/18

   added "Falls Prevention" section based on new USPSTF recommendation.
- September 28, 2018: For 10/1/18 effective date removed diagnosis code Z13.4 and added diagnosis code(s) Z13.3, Z13.30, Z13.39, Z13.40, Z13.41, Z13.42, Z13.49 to Developmental/Behavioral screening for pediatrics section.
- October 16, 2018: Added CPT code 99212 to Contraception and Contraceptive Counseling section.
- November 8, 2018: Added bowel prep medications to pharmacy section. Clarified age and frequency in Cervical Cancer Screening section. Added "Weight Loss Behavioral Intervention" to counseling section based on new USPSTF recommendation.
- November 23, 2018: Formatting updates.
- December 28, 2018: For 1/1/19 effective date added new CPT codes 81163, 81164, 81165, 81166, 81167, removed deleted CPT codes 81211, 81213, 81214 and updated descriptions for CPT codes 81162, 81212, 81215, 81216, 81217 in BRCA genetic testing section and added CPT code 90689 to adult and pediatric immunization section. Removed Vitamin D coverage from Pharmacy section.
- February 1, 2019: Updated age on CPT code 90651. Formatting updates.
- March 15, 2019: Formatting updates. Added diagnosis code Z00.01 to venipuncture section.
- April 30, 2019: Formatting updates.
- May 10, 2019: Add codes 99152, 99153, 99156 & 99157 to colorectal cancer screening section.
- July 26, 2019: Formatting update.
- September 3, 2019: Formatting update.
- October 1, 2019: Added new diagnosis code Z11.7 and removed end-dated diagnosis code Z11.1 in Latent Tuberculosis Infection Screening section per annual ICD-10 updates.
- December 3, 2019: Added diagnosis code Z15.01 & Z15.02 to BRCA Screening section.
- January 29, 2020: Added HCPCS codes G0008-G0010 to Immunization Administration section. Added CPT code 87806 to HIV Screening section. Added language to Abdominal Aortic Aneurysm screening section to indicate this is a one-time screening per USPSTF recommendation.
- July 28, 2020: Added CPT codes 86804, 87520-87522, 87902 to Hepatitis C Screening section.
- September 15, 2020: Added CPT code 90694 to immunization section.
- December 15, 2020: Added Coronavirus immunization codes to Immunization section.
- December 31, 2020: Added additional Coronavirus (COVID) vaccine and administration codes to immunization section. For Effective Date 1/1/21 For lung cancer screening, added new code 71271 and removed end-dated code G0297. Colorectal cancer screening age modified from 50-75 to 45-75.
- February 3, 2021: Added additional Coronavirus (COVID) vaccine codes to immunization section.
- April 14, 2021: Updated diagnosis code Z13.31 in Developmental Screening section. Added new dental codes for covid vaccine administration.
- June 3, 2021: Updated the preventive pharmacy medication section; Added aromatase inhibitors (anastrozole, exemestane), added HIV PrEP to the table, added examples of smoking cessation products, updated the bowel prep list.
- August 6, 2021: Added new HCPCS code M0201 to COVID vaccine section. For effective date 8/1/21, age expanded for bowel prep medications to reflect 45 through 74.
- September 10, 2021: Added information to HIV PrEP section regarding coverage of ongoing care.

- January 6, 2022: Added CPT code 99502 to Breastfeeding section, added CPT code 81007 to Asymptomatic Bacteuria screening section, added 87810 to Chlamydia screening sections for women, added HCPCS code A4663 to Blood Pressure Screening section and added codes 90671, 90677, 91304, 0071A & 0072A to immunization section.
- February 28, 2022: For effective date 3/1/22, updated age from "55 to 80" to "50 to 80" and coding in lung cancer screening section, added diagnosis code Z00.00 & Z00.01 to lipid disorder screening section (adults).
- March 31, 2022: For effective date 3/1/22, added codes M0220, M0221 and Q0220.
- June 10, 2022: Coding updates to Hepatitis B Screening, Obesity Screening, Osteoporosis Screening, Congenital Hypothyroidism Screening, Alcohol Misuse Counseling and Syphilis Screening for Adults & Pediatrics.
- June 15, 2022: Formatting update.
- July 7, 2022: Added codes 0073A, 0074A, 0083A, 0111A, 0112A, 91305, 91307, 91308, 91311, K1034 to covid section.
- July 20, 2022: Formatting update.
- July 27, 2022: Updated HIV PrEP section.
- Sept 27, 2022: Added codes 87389, 87534, 87535, 87536, 87537, 87538, 87539 to HIV PrEP section.
- October 11, 2022: Added codes 58661 and 58700 to contraception surgical procedures section.
- January 10, 2023: Correct formatting error in "lung cancer screening" section, Added codes 92588, 92650, Z00.110, Z00.111, Z01.10, Z01.110, Z01.118, P09.6 to Hearing Screening section Effective date 12/8/22 - added new codes 91316, 91317, 0164A, 0173A to covid vaccine section
- March 3, 2023: Added code 90619 to Adult and Pediatric immunization section for effective date 01/13/2023, Added code K1005 to Breastfeeding support, education, equipment, supplies and counseling for pregnant and postpartum women section for effective date 1/1/23.
- March 30, 2023: Added codes 82272, 88304, G0500, Z83.71 and Z83.79 to the Colorectal Cancer Screening section, effective April 1<sup>,</sup> 2023, Code J7303 was removed from the Contraception and Contraceptive Counseling section and code J7294 was added to the Contraception and Contraceptive Counseling section, effective April 1, 2023. Code 64435 was added to the Contraception: Surgical Procedures section, effective April 1, 2023. Code 58555 was removed from the Contraception: Surgical Procedures section, effective April 1, 2023. Code 80422 was removed from the Gestational Diabetes section, effective April 1, 2023. Code 87592 was added to the Chlamydia and Gonorrhea Screening section, effective April 1, 2023. Domestic Violence section language was updated to align with HPHC-L language. Fluoride drops & tablets age criteria expanded to 16 years of age. Folic Acid age requirements were updated to 12-50 years of age. The HIV PrEP section language was expanded to include covered services.
- May 5, 2023: Added codes 83020, 83021, 83030, 83033, 83051, 85660, Z00.110, Z00.111, Z00.121, Z00.129, and Z13.0 to the Metabolic/Hemoglobin Screening (Newborns) section, effective April 20, 2023, Code Z71.3 added to the Obesity Screening (Adults) Section, effective April 15, 2023, Code Z78.0 added to the Osteoporosis Screening section, effective May 5, 2023, Code Z12.39 was added to the BRCA Genetic Testing section, effective May 5, 2023, Codes Z85.09, Z85.44, Z12.31 were added to the BRCA Genetic Testing section effective March, 20, 2023, code 87623 was added to the Cervical Cancer Screening Section, Code A4660 was added to the Blood Pressure Screening (Adult) section, effective May 5, 2023, code section, effective Services Policy, Codes Z00.121 and Z00.129 were added to the Lipid Disorders in Adults section, effective April 15, 2023
- June 12, 2023: Added codes Z00.00, Z00.01 to the Chlamydia Screening section for Adults, all codes were removed from the Abdominal Aortic Aneurysm section except code 76706, Removed listing of Aspirin < 325mg as no longer a covered preventive pharmacy benefit, removed brand name bowel preparations from a covered preventive pharmacy benefit, updated fluoride to include children age 6 months through 16 years, reformatted Medications section.
- July 1, 2023: Added codes 0121A, 0141A, 0142A, 0151A, 0171A, and 0172A to the Coronavirus [COVID-19] Immunizations, Monoclonal Antibodies and Self-administered Tests section, added code 90679 to the Adult and Pediatric Immunizations section, effective July 1, 2023
- August 16, 2023: Added Language to Colorectal Cancer Screening Section "Cologuard (81528) is covered once every 3 years"
- September 15, 2023: Added codes 90678, 90611, 90622, 90380, and 90381 to the "Adult or Pediatric Immunizations section, effective September 15, 2023
- October 1, 2023: Removed all end-dated Covid-19 codes associated with the November 1, 2023 update and added new Covid-19 codes (91318, 91319, 91320, 91321, 91322, and 90480) effective September 11, 2023, added Z13.31 and Z13.39 to the Adult depression screening section and added Z13.31 and Z13.39 to the Adolescent Anxiety and Depression screening section. The section was renamed "Adolescent Anxiety and Depression screening". Diagnosis code Z29.81 was added to the HIV Prep section.
- October 24, 2023: Added new RSV administration codes 96380 & 96381, effective October 6, 2023,

Removed all HCPCS codes from Covid-19 section due to EUA revocation, except for K1034, Removed code 92586 from the Newborn Screening section per PPACA alignment.

- November 1, 2023: Added ICD-10 codes F17.210, F17.211, F17.213, F17.218, F17.219 to the Abdominal Aortic Aneurysm section, removed language for Aspirin counseling from the Preventive Counseling Services section, and removed code K1034 from the Covid-19 section. Added codes 87591 and 87491 to the HIV Prep Section.
- January 1, 2024: Added language to the Outpatient Maternity Services section, changed language related to Diabetes screening before and after pregnancy, changed language in the Preeclampsia Screening section, added Health Resources and Services Administration (HRSA) to the Preventive sources section at the beginning of the document, Added codes 90859 and 90623 to the Adult and Pediatric Immunizations section as part of Q1 2024 new codes, removed end-dated code K1005 from policy, added code replacement code A4287 to the Breastfeeding Support, education, equipment, supplies and counseling for pregnant and postpartum women section, added codes G0011, G0012, G0013, Q0516, Q0517, J0750, J0751, J0799 to the HIV PrEP section as part of Q1 2024 new codes.
- March 30, 2024: Added codes Z83.710, Z83.711, Z83.718, Z83.719 to the Colorectal Cancer Screening section retroactive to October 1, 2023. Code Z83.71 was replaced by these specific codes and was end-dated on 09/30/2023.
- May 6, 2024: Codes M0224 and Q0224 added to the COVID-19 section. Codes were released retroactively and are effective March 22, 2024.